



Store Experience Group

Consolidated Vendor Guidelines

Last updated:

June 12, 2024 4:50 PM

For questions regarding this project: Jonathan.Knisely@BestBuy.com

Proprietary and confidential. All rights reserved. ©Best Buy
Best Buy internal and vetted partner use only. Do not copy, publish, or distribute.

Universal Vendor Provided Display Expectations

All vendors are **required to understand and implement** the information contained within this guide. Additional questions should be directed to your designated Project Manager. **Best Buy reserves final rights to approve or request modifications for all displays that enter its retail stores.**



Demo or Display Product

- All vendor-owned presentations require Demo, Display or Dead Mock Display product(s) to be included.
- **Demo:** An out-of-box product feature that allows for an interactive experience.
- **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
- **Dead Mock Display:** A non-interactive 3D model of a salable product intended to showcase form factor, colorways and sizing.
- Printed representational stand-ins of products are not allowed outside of rare, time-bound exceptions.




Product As Hero

- Demo, Display or Salable product should be the clear focal point of all presentations.
- Educational collateral, graphics or digital content should always be positioned as secondary information.
- See Store Experience Visual Merchandising Playbook for examples.



ESL Pricing Inclusion

- A proximally placed ESL is required for each Display or Salable product.
- Three ESL options size options exist: Peg Labels, Fact Tags and Mass Displays. See ESL Store Pricing chapter for an overview or the Store Experience Visual Merchandising Playbook for full details.
- Plan for appropriate space for ESL inclusion when designing your presentations.
- Ensure consistent and accurate ESL placement by following the ESL attachment recommendations within individual guidelines.




ADA Compliance

- Americans with Disabilities Act (ADA) requirements must be fully considered when planning or building any physical presentation within our stores. These laws keep our customers and employees safe and ensure accessibility.
- Special consideration should be paid to Interactive product heights and depths, protruding objects and aisle spacing impacts.
- See full ADA specifications in the Architecture & Construction section of this guide, the Store Experience Visual Merchandising Playbook or the ADA Quick Guide.

Universal Vendor Provided Display Expectations

All vendors are **required to understand and implement** the information contained within this guide. Additional questions should be directed to your designated Project Manager. **Best Buy reserves final rights to approve or request modifications for all displays that enter its retail stores.**




Structural/Seismic Guidelines

- Prior to construction, all fixtures 5'9" and over must have their supporting structure analyzed and certified for seismic load per the building code.
- Load-bearing and weight-bearing fixtures under 5'9" may also need to be reviewed for proper anchoring and design.
- Vendors are responsible for analysis and certification costs. It is recommended vendors use Advanced Structural Technologies (AST) as a source for structural engineer as well as seismic design. This is Best Buy's preferred Structural Engineer partner.
- Fixture dress kits have a weight limit of 220 pounds.
- HEET Walls and standalone fixtures have additional weight limits.
- Additional questions should be directed to your designated Project Manager.




Lighting

- Lighting standards maintain focus on the product, ensure barren fixtures aren't highlighted, minimize visibility to dust and grime, avert bleedover into neighboring presentations and prevent overstimulation.
- **Inline fixtures:** No backlighting, downlighting, lit platforms, shelf lighting, or under-cabinet lighting is permitted. Only Lit logo headers and illumination emitted from display products and monitors are allowed.
- **Endcap fixtures:** No backlighting, downlighting or under-cabinet lighting is permitted. Other forms of lighting are allowed.
- Light levels are controlled by the Technology Design Lab. Refer to the Technology Design Standards for details.



Horizontal Logo Headers

- Horizontal Logo Headers are a core Best Buy graphic asset.
- Horizontal Logo Headers are often found on Low Bay Gondolas, End Caps and Perimeter Racking. They appear as black horizontal bands with a white logo reversed on black.
- Compliance to each fixture's specific Horizontal Header standard is required. See individual guidelines for details.



Standard Materials Finishes

- Unified finishes are provided to ensure a seamless integration of displays within Best Buy's retail environments.
- Compliance to each material finish is required where specified. See individual guidelines for details.
- **If no specific finishes are detailed** within individual guidelines, **leverage standard finishes:**
 - Standard wood finish: Omnova Saarinen Driftwood 3D Laminate
 - Standard white finish: Powercoat: Tiger Drylac – White Fine Texture 049-13150
 - Standard black finish: Powdercoat PC938 Matte Black – IFS Coatings, INC PLSM10812CN
 - Standard black header material: Alpolic PE and finish: BLX Black
 - Standard translucent letter/logo finish: White Light, White Optics 009 Matte

Table of Contents

The table of contents contains [hyperlinks](#) for easy navigation. Click [HOME](#) to return to this page.

[1. Universal Inline](#)

[2. Inline Platform](#)

[3. Inline Focal](#)

**[4. Display Platform
with Acrylic Case](#)**

[5. Lowbay Gondola](#)

[6. Lowbay Endcaps](#)

[7. Perimeter Racking](#)

**[8. Perimeter Wall
Standards](#)**

**[9. Shelf Dimensions &
Perf Patterns](#)**

[10. Slotted Vertical Uprights](#)

[11. Product Tables](#)

[12. Focal Frames](#)

[13. Small Appliance Endcap](#)

[14. ESL Store Pricing](#)

[15. Connected Home](#)

[16. Headphones](#)

**[17. Floor Care and
Robotic Vacuums](#)**

[18. Fit Cubbies](#)

[19. Range Endcaps](#)

[20. Side Stock Endcap](#)

**[21. Display-Centric
Basecase Graphic
Inserts](#)**

**[22. Computer Gaming
Accessories Wedge](#)**

[23. TV Dream State Endcap](#)

[24. TV Winglet](#)

[25. Premium Audio Wall](#)

[26. Drone Case](#)

[27. Car Audio](#)

**[28. Premium Home Audio
Large Concept](#)**

[29. Convergence Zone](#)

**[30. Center of Store
Brand Zone](#)**

[31. Theater District](#)

Table of Contents

The table of contents contains [hyperlinks](#) for easy navigation. Click [HOME](#) to return to this page.

[32. 8' TV](#)

**[33. Mobile
Accessories](#)**

[34. Universal Buttons](#)

**[35. Major Appliance
POP Graphics](#)**

**[36. Small Appliance
POP Graphics](#)**

[37. Vendor Signage](#)

**[38. Vendor Copy &
Claims Guidelines](#)**

[39. Shippers](#)

[40. QR Codes](#)

1. Universal Inline


Fixture Overview

The universal inline space is your opportunity to tell an enhanced product story. It offers areas for eye-catching video and imagery, a lit logo and direct-to-product power.

Vendor Expectations

- Provide an inline focal and inline platforms, ensuring all parts, material finishes and assemblies match Best Buy's engineered drawings.

**Drawings and models of all parts available upon request.*




Fixture Varieties


The universal inline display exists on four shelf types:

- 20" Universal
- 12" Skinny Universal
- 18" Standard
- 12" Skinny Standard


Each store has **one or more** of these shelf types. Ask your Best Buy contact which scenarios apply to your display.




20" Universal



18" Standard
Platform riser required



12" Skinny Universal



12" Skinny Standard
Platform riser required

Inline Platforms

Inline platforms hold products (with or without power). They are available in several sizes and feature a wooden pedestal attached to a metal base anchored to the shelf.


Vendor Expectations

- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.

! You will need details and dimensions in these guides on Partner Portal:

[Inline Platform Guidelines](#)

[Technology Design Standards](#)



Inline Focals

Inline focals are optional. You may use one of four types:

- Plain Header | Graphic
- Illuminated Header | Graphic
- Plain Header | Media Player | Graphic
- Illuminated Header | Media Player | Graphic


Vendor Expectations

- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Get approval from Best Buy's Technology Design Lab for any illuminated headers and media players.

! You will need details and dimensions in these guides on Partner Portal:

[Inline Focal Guidelines](#)

[Technology Design Standards](#)



Illuminated Header



Plain Header with Media Player



Illuminated Header with Media Player





Power and Attachments: Universal Shelf

GENERAL Vendor Expectations


- Use threaded studs with washers/wingnuts to anchor the fixture through the small slot in the rear of the shelf.

ELECTRICAL Vendor Expectations

- Route power through the large power access slots.
 - A power strip is accessible through a trap door on the underside of the shelf. Your power supply must fit this strip. The supplied power strip cannot be moved. Additional power strips must plug into a power outlet. Power strips cannot be daisy-chained.
- Label and color-code electronics. Ensure they can be accessed without the use of tools for easy replacement.




Power Strip Access through Trap Door



**Maximum Dimensions
for Universal Shelf Plug**

*Note: In the case of power bricks,
prongs must be oriented as shown.*



**Universal Shelf
Anchoring**




Power and Attachments: Standard Shelf

GENERAL Vendor Expectations

- Use threaded studs with washers/wingnuts to anchor the fixture through the front or rear diamond perforation of the shelf.

ELECTRICAL Vendor Expectations

- Route power off the rear of the shelf, through the backer and into the base deck, where power access is provided.
 - If you prefer to provide your own power strip, it must be UL listed and approved by Best Buy's Technology Design Lab. Contact the Lab for power access help.
- Use power cords that are at least 12' long to adequately reach the power strip.
- Label and color-code electronics. Ensure they can be accessed without the use of tools for easy replacement.



Standard Shelf Anchoring

Base Deck

Power receptacle is provided and may be located as far as 12' away from product.

Graphics

Vendor Expectations

- Provide a focal graphic and product info cards, complying with all copy, design, size, substrate, etc. requirements outlined in the guides on Partner Portal.



! You will need details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Vendor Signage Guidelines](#)

[Inline Focal Guidelines](#)

[Inline Platform Guidelines](#)



Graphics

Vendor Expectations

- Provide a backer graphic, adhering to the applicable template's exact dimensions (see examples at right).
- Select a single image to fill the entire backer (excluding a black header where applicable). **Note:** If a focal is present, the lefthand side (12"W) of your backer will be covered. Select an image carefully to ensure the subject of your photo is appropriately placed.



- Prioritize the following for your graphic:

Content: Lifestyle imagery of humans interacting with products.

Crop: Humans and products largely centered, with products clearly visible.

- Choose from these alternate options **only** if lifestyle imagery of humans/products isn't available or allowed:
 - Lifestyle imagery of products **without** humans.
 - Hero product imagery on a neutral color field.
- If no focal is present, include your logo on the backer, adhering to the template's logo placement and sizing.

Note: Templates are available upon request.



4' Universal Inline Backer (4 options)

Size: 47.938"W x 20.313"H

Substrate: Magentic Receptive (10-12.5mil, 94-97 bright)

Notes:

— Include a tagline, if desired. No educational copy or award callouts are permitted.


— Adhere to template's tagline placement and sizing.

— Ensure copy contrasts with image for legibility.

2' Universal Inline Backer


Size: 23.95"W x 20.313"H

Substrate: Magentic Receptive (10-12.5mil, 94-97 bright)



Example

Note: Shown on 20" Universal shelf.



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

[Inline Focal Guidelines](#)

[Inline Platform Guidelines](#)

Additional useful guides:

[Copy & Claims Guidelines](#)

[Vendor Signage Guidelines](#)

[Technology Design Standards](#)

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers (see below) and specify Solidworks or STEP file type. **Best Buy provides shelves and backer graphic assembly.*
- A list of preferred vendors who can manufacture the fixture parts.
- A universal shelf to purchase for testing, if desired.
- Examples of Best Buy-provided graphics, if desired.

Universal Inline Fixture Component	Best Buy Part Number
20" Universal Shelf	1003529
12" Skinny Universal Shelf	1020948
18" Standard Shelf	1012249
12" Skinny Standard Shelf	1014797
Backer Graphic Assembly	1003485
Standard Inline Gondola Assembly (24" base deck)	R0010
Skinny Inline Gondola Assembly (14" base deck)	R0019

**Note: Shelf colors in drawings may not reflect actual shelves. Actual shelf finishes vary and may be either silver or black.*

2. Inline Platform

Fixture Overview

Inline platforms hold products (with or without power). They are available in several sizes and feature a wooden pedestal attached to a metal base anchored to the shelf.

Vendor Expectations


- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Include—on the front of the base plate—an electronic shelf label (ESL) for each product on the platform.

**Drawings and models of all parts available upon request.*

! You will need details and dimensions in these guides on Partner Portal:

ESL Pricing

Technology Design Standards




Fixture Varieties

Inline platforms are used on shelf types of varying depths:


- 20" Universal
- 12" Skinny Universal
- 18" Standard
- 12" Skinny Standard
- Side Stock Endcap (*not shown here*)

Each shelf has recommended platform sizes. Ask your Best Buy contact which sizes apply to your display.


20" Universal Shelf




18" Standard Shelf



12" Skinny Universal Shelf



12" Skinny Standard Shelf





Platforms: Universal Shelf

Platforms for universal shelves (and all other shelf types with an anchor slot) feature an anchor point that is 4.8375" from the rear edge of the base plate.

Platforms are available in 5.25" and 11.5" widths (each in varying depths to fit different shelves). Choose the platform width that best fits your product.



Inline Platforms		
Platform Width	Applicable Shelf Types	Best Buy Part Number
5.25"	20" Universal; 4' Side Stock Endcap	1017885
11.5"	20" Universal; 4' Side Stock Endcap	1017889
5.25"	12" Skinny Universal; 2' Side Stock Endcap	Contact Best Buy Engineering
11.5"	12" Skinny Universal; 2' Side Stock Endcap	Contact Best Buy Engineering



Platforms: Standard Shelf

Platforms for standard shelves feature an anchor point that aligns with either the front or back row of diamond perforation on the shelf. The anchor point measures 1.18" from either the front or rear of the base plate depending which perforation row is used. The anchoring studs must be spaced apart in increments of .5" to properly align with the perforation pattern. Use the front rows of perforation whenever possible.

Platforms are available in 5.25" and 11.5" widths (each in varying depths to fit different shelves). Choose the width that best fits your product. For maximum flexibility across shelf sizes, consider shorter depth platforms.



Inline Platforms		
Platform Width	Applicable Shelf Types	Best Buy Part Number
5.25"	18" Standard	Contact Best Buy Engineering
11.5"	18" Standard	Contact Best Buy Engineering
5.25"	12" Standard	Contact Best Buy Engineering
11.5"	12" Standard	Contact Best Buy Engineering

Security, Power and Attachments



Vendor Expectations

- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.



You will need details and dimensions in this guide on Partner Portal:

Technology Design Standards



Pedestal Cavity
(rear view)



Pedestal Cavity
(side view)

Graphics

Each product info card invites you to highlight certain product features directly in front of the product on display. Product info cards are populated with vendor-provided content and are designed and produced by Best Buy.

Vendor Expectations

- Provide content in keeping with the product info card template. Because template sizes vary, first ask your Best Buy contact which sizes apply to your display.
- Ensure all content follows Best Buy's Copy & Claims Guidelines and Vendor Signage Guidelines.

 **You will need** details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Vendor Signage Guidelines](#)

Product Info Card

Size: Varies
Substrate: Magnetic Receptive
(10–12.5mil, 94–97 bright)



Merchandising

Products should be merchandised as follows:

- One product on 5.25” platform
- Up to two products on 11.5” platform


Vendor Expectations

- Display product within the permitted space. Product may not extend wider than the platform edges or higher than the inline fixture.
- Ensure no POP is attached to the product or display.
Note: Any POP included will be removed by store staff.
- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards
- Include—on the front of the base plate—an electronic shelf label (ESL) for each product on the platform.

 **You will need** details and dimensions in these guides on Partner Portal:

[ESL Pricing](#)

[Technology Design Standards](#)



Specialized Platforms

Specialized platforms are available for products with unconventional sizing or security requirements. Ask your Best Buy contact how we can address the unique needs of your product.

Shown at right: Acrylic cases for small audio devices.



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

[Vendor Signage Guidelines](#)

[ESL Pricing](#)

Additional useful guides:

[Copy & Claims Guidelines](#)

[Universal Button Guidelines](#)

[Technology Design Standards](#)

[Adjustable Shelf Datasheet](#)

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers (see below) and specify Solidworks or STEP file type. **Best Buy provides electronic shelf labels.*
- A list of preferred vendors who can manufacture the fixture parts.
- A universal shelf to purchase for testing, if desired.

Inline Platforms Fixture Component	Best Buy Part Number
20" Universal Shelf	1003529
12" Skinny Universal Shelf	1020948
18" Standard Shelf	1012249
12" Skinny Standard Shelf	1014797
Standard Inline Gondola Assembly (24" base deck)	R0010
Skinny Inline Gondola Assembly (14" base deck)	R0019

**Note: Shelf colors in drawings may not reflect actual shelves. Actual shelf finishes vary and may be either silver or black.*

3. Inline Focal

Fixture Overview

Inline focals introduce your display with your brand story. Focals are optional, and you may use one of four types:

- Plain Header | Graphic
- Illuminated Header | Graphic
- Plain Header | Media Player | Graphic
- Illuminated Header | Media Player | Graphic


Vendor Expectations

- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Get approval from Best Buy's Technology Design Lab for any illuminated headers and media players.

**Drawings and models of all parts available upon request.*

! You will need details and dimensions in this guide on Partner Portal:

Technology Design Standards




Fixture Varieties


Inline focals are designed for use on universal shelves. A platform riser is required if using on standard shelves.

Focals are available in the following sizes:



- 12”W x 12”D
- 12”W x 20”D




20” Universal Shelf



18” Standard Shelf
Platform riser required



12” Skinny Universal Shelf




12” Skinny Standard Shelf
Platform riser required

Fixture Components

Vendor Expectations

- Build your focal display using a backer insert, base assembly and base insert. If displaying your focal on a standard shelf, a **platform riser** is required.
- Mount your display product to the base insert.
Note: Inserts are interchangeable/replaceable in the focal frame when updating display product.

Inline Focals			
Focal Width	Focal Depth	Component	Best Buy Part #
12"	12"	Base Assembly	1016995
		Base Insert	1016989
		Platform Riser	1017022
12"	20"	Base Assembly	1010577
		Base Insert	1017893
		Platform Riser	1010566



Backer Insert

There are four backer insert types available for your focal:

- Plain Header | Graphic
- Illuminated Header | Graphic
- Plain Header | Media Player | Graphic
- Illuminated Header | Media Player | Graphic

The same backer inserts are used for both the 12”D and 20”D focals.

Inline Focal Backer Inserts		
Focal Width	Component	Best Buy Part #
12”	Plain Header Graphic	1010543
	Illuminated Header Graphic	1010546
	Plain Header Media Player Graphic	1010548
	Illuminated Header Media Player Graphic	1010541

Plain Header



Illuminated Header



Plain Header with Media Player



Illuminated Header with Media Player




Base Insert

The base insert holds your display product.


Best Buy provides a .8" diameter perforated grid for product anchoring. The perforated grid allows display product to be changed out as the display evolves.

Vendor Expectations

- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.

 **You will need** details and dimensions in this guide on Partner Portal:

Technology Design Standards




Graphics

Vendor Expectations

- Create a focal graphic and product info card (if applicable), complying with all copy, design, size, substrate, etc. requirements outlined below, on the following page and in the guides on Partner Portal.

Size: Varies; see details at right

Substrate: 30 mil Magnetic Vinyl, White

 **You will need** details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Vendor Signage Guidelines](#)

[Technology Design Standards](#)

Plain Header Focal Graphic

Size: 11.275"W x 21.5"H



Illuminated Header Focal Graphic

Size: 11.475"W x 18.425"H



Plain Header with Media Player Focal Graphic

Size: 11.475"W x 12.215"H



Illuminated Header with Media Player Focal Graphic

Size: 11.475"W x 12.215"H



Product Info Card

Size: 11.65"W x 3.9375"H

Note: Not available on 12" skinny focals



Graphic Details: Focal Graphics

- **Lifestyle Image Area**

A flat, printed graphic is activated on the plain and illuminated headers without media players.

Size: 8.535”W x 5.24”H

- **Backer**

Font: Human BBY Bold

Size: 50pt, three lines max.

Color: 45% black


- **Number**

Font: Human BBY Regular


Size: 7pt

Color: 45% black


Plain Header




Illuminated Header



Plain Header with Media Player



Illuminated Header with Media Player








Graphic Details: Product Info Card

Choose one of two template options, adhering to the exact background color, dimensions and details below.

- **Size:** 11.65”W x 3.9375”H
- **Substrate:** 30 mil Magnetic Vinyl, White
- **Font color:** 45% black
- **Font size:** Varies, see sizes and character counts at right
- Include a title that features the product name **only** (no vendor names are permitted).
- Include up to five product-specific features or benefits.

Note: Templates are available upon request.

Product name, two lines, 50-character maximum, 40pt font

 Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	 Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	 Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	 Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	 Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font
---	---	---	---	---

Disclaimer copy goes here
© 2024 Best Buy. All rights reserved. XXXX-XXXXXX

Product name, two lines, 50-character maximum, 40pt font

Optional benefit state goes here, two lines,
100-character maximum, 20pt font

Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font	Product feature name, 13pt font Product feature sentence, 75-char. max total, 11pt font
--	--	--	--	--

Disclaimer copy goes here
© 2024 Best Buy. All rights reserved. XXXX-XXXXXX

Integrated Technology

Monitors

Monitors must be mechanically fastened to the threaded studs in the focal backer.

Approved monitor:

- Bluefin 20-3002-1091
Includes HDM / VGA / microSD input

Illumination

Illuminated headers must meet the luminosity requirements specified in the Technology Design Standards (see below) and must be approved by Best Buy's Technology Design Lab.

Media

Embedded media players are permitted in the focal backer. Media players must be approved by Best Buy's Technology Design Lab.

Buttons

Interactive buttons are permitted in the focal backer or the base insert. They must be:

- Duco DTPB-X-32 (the only approved button)
- Surrounded by a white light-up ring
- Shown with text that clearly defines the button action. Text must be:
 - Black, size 14, Human BBY Medium
 - Located below the button
 - Printed on the substrate (no decals)



You will need details and dimensions in these guides on Partner Portal:

[Technology Design Standards](#)

[Universal Button Guidelines](#)

Merchandising

Each vendor may feature one inline focal per display, using the fixture to spotlight one hero product.

If multiple vendors share space, up to two total focals (nonadjacent) are permitted per 4 linear feet.

Vendor Expectations

- Display product within the permitted space to ensure no obstructions. Product may not extend wider than focal edges or higher than text or video on focal backer.
- Ensure no POP is attached to the product or display.
Note: Any POP included will be removed by store staff.
- Secure product to the pedestal using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.



Next Steps

1 READ

these useful guides from Partner Portal:

[Copy & Claims Guidelines](#)

[Vendor Signage Guidelines](#)

[Universal Button Guidelines](#)

[Technology Design Standards](#)




2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers (see grids from previous pages) and specify Solidworks or STEP file type.
- A list of preferred vendors who can manufacture the fixture parts.
- A universal shelf to purchase for testing, if desired.
- Examples of Best Buy-provided graphics, if desired.

4. Display Platform with Acrylic Case



Universal inline Guidelines




Universal inline Guidelines

Display Platform with Acrylic Case Notes:

- See page above for dimensions
- Removable screws are used to attach acrylic case to metal back
- Design allows for easy updating of display product and backer card



Side View




Backview View


Universal inline Guidelines

Display Platform with Acrylic Case Notes:



- Removable screws are used to attach acrylic case to metal back
- Design allows for easy updating of display product and backer card




Product Backer



Display Platform w/ Acrylic Case
#1022870



Remove case and insert product backer into acrylic case with holes aligned at top.




Attach case, backer and mount to platform as shown with Philips head screws.

5. Lowbay Gondola

C19 and 15K Vendor Guidelines

Black lowbay gondola – Parts list

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1010480.SLDA_With Back Panel	---	1
2	1010478_With Back Panel	---	3
3	1010475_With Back Panel	4' ENDCAP GONDOLA - 24" BASEDECK	1
4	1010474_With Back Panel	4' ENDCAP GONDOLA - 14" BASEDECK	1



SCALE: 1:64	DRAWING NO.:	REV.:	
SHEET: 1 of 3			

C19 and 15K Vendor Guidelines

Black lowbay gondola – Parts list

Guidelines:


- Parts and pieces used and available for lowbay gondola

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1012248	ADJUSTABLE SHELF, 14" D X 48" W - BLACK	1
2	1012249	ADJUSTABLE SHELF, 18" D X 48" W - BLACK	1
3	1016891	SHELF, 10.5" X 48", ADJUSTABLE	1
4	1014797	SHELF, 12" X 48", ADJUSTABLE - BLACK	1
5	1012251	ADJUSTABLE SHELF, 22" D X 48" W - BLACK	1
6	1010625	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 10" DEEP - BLACK	1
7	1010753	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 1.5" DEEP - BLACK	1
8	1010634	MERCHANDISE BAR, 1.0" X 2.0" TUBE X 48" LG - 1.5" DEEP - HD - BLACK	1
9	1010744	MERCHANDISE BAR, EXTENDED 6.00" - 48.0 X 1.5 X 0.50 - BLACK	1
10	1010750	MERCHANDISE BAR, EXTENDED 8.00" - 48.0 X 1.5 X 0.50 - BLACK	1
11	1010642	PEGHOOK, 1.75" LOOP X 16.00" LG SUPER HEAVY DUTY GUSSETED W/FISH TIP	1
12	1010643	PEG HOOK WELDMENT, 1.0" LOOP X 12.00" LG HEAVY DUTY GUSSETED W/SCANNER TAG	1
13	1010717	PEG HOOK, 4" - WIRE GRID AND MERCH BAR	1
14	1010659	PEG HOOK WELDMENT, 1.0" LOOP X 8.00" LG HEAVY DUTY STRAIGHT W/SCANNER TAG	1
15	1010621	PEG HOOK, 16" - WIRE GRID AND MERCH BAR	1
16	1010754	PEG HOOK, 8" - WIRE GRID AND MERCH BAR	1

DATE: 12/17/20	PROJECT: BLACK PERIMETER RACKING	REV.:	
SHEET: 2 of 4			

C19 and 15K Vendor Guidelines

Black lowbay gondola




C19 and 15K Vendor Guidelines

Black lowbay gondola

Guidelines:

- This is the form factor for vendor-provided displays.
- Inline displays cannot have a lit header or lit graphic.
- Endcaps can have a lit header and/or lit graphic.
- No under-shelf/cabinet lighting on both inline and endcap.
- Display can hang into the lowbay gondola uprights, or sit on a Best Buy standard metal shelf.
- Shelf-sitting display must be attached using threaded studs, a wing nut or Christmas tree fasteners.
- Displays hanging in the uprights have a max depth of 22.5". Displays on a shelf cannot exceed the depth of the shelf.
- All product displayed must have pricing. Reference the ESL guideline document.
- Any buttons or touch interaction must follow ADA guidelines and follow the technology design standards.
- If a lock-up case is required, reach out to Best Buy for an engineered fixture; or develop one yourself, which will need Best Buy approval.
- All designs must be approved by Best Buy design.



C19 and 15K Vendor Guidelines

Black skinny lowbay gondola – Parts list

COPYRIGHT © - SEE SHEET 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1010479	4' INLINE GONDOLA - STARTER - 14" BASEDECK	1
2	1010477	4' INLINE GONDOLA - ADD-ON - 14" BASEDECK	2
3	1010472	2' ENDCAP GONDOLA - 14" BASEDECK	1
4	1010473	2' ENDCAP GONDOLA - NO BASEDECK	1
5	1012040	PANEL, LOWBAY BACKER W/ CUTOUTS - 22.875" x 50.125"	2
6	1012041	PANEL, LOWBAY BACKER W/ CUTOUTS - 46.875" x 50.125"	3
7	1011394	TUBE, 1.0" X 2.75" X 60.0" LG, LOWBAY UPRIGHT	1
8	Lowbay_Vendor Display		1
9	1014797	SHELF, 12" X 48", ADJUSTABLE - BLACK	1
10	1010773	WELDMENT, BACK GRAPHIC PANEL - WHITE	2
11	1010772	WELDMENT, 20.3" H X 23.9" W BACK GRAPHIC PANEL - WHITE	1
12	1016891	SHELF, 10.5" X 48", ADJUSTABLE	1
13	1017727	SHELF, 10.5" X 24", ADJUSTABLE	1
14	1017788	SHELF, 12" X 24", ADJUSTABLE - BLACK	1
15	1016995	WELDMENT, HERO BASE - SKINNY INLINE FOCALS	1
16	1017022	2" HERO BASE ASSEMBLY - SKINNY INLINE FOCAL	1
17	1016983	PRODUCT DISPLAY BASE ASSY. - 11.5" X 11.5" X 1" - SKINNY INLINE FOCALS	1
18	1016996	PRODUCT DISPLAY BASE ASSY. - 5.25" X 11.5" X 1" - SKINNY INLINE FOCALS	1
19	1016989	WELDMENT, HERO BASE INSERT - SKINNY INLINE FOCALS	1
20	1004352	HERO FOCAL BACK INSERT	1
21	1017654	ASSY, TRUE WIRELESS DISPLAY - SKINNY GONDOLA	1

SCALE: 1:48
SHEET: 4 of 6


DRAWING NO.:
REV.:

SEE UNIVERSAL INLINE - SAARINEN GUIDELINES FOR ADDITIONAL INFORMATION

BEST BUY

C19 and 15K Vendor Guidelines

Black skinny lowbay gondola



C19 and 15K Vendor Guidelines

Black skinny lowbay gondola – Universal inline

Guidelines:

- Finish for items 12, 13 and 14 is Omnova Saarinen Driftwood
- ESL peg labels attach to the angled piece on the platform
- See universal inline - saarinen guidelines for additional information
- Graphic material for the backer is magnetic receptive (10 - 12.5 mil, 94 - 97 bright)

COPYRIGHT © - SEE SHEET 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
8	1014797	SHELF, 12" X 48", ADJUSTABLE - BLACK	1
9	1010773	WELDMENT, BACK GRAPHIC PANEL - WHITE	2
10	1016995	WELDMENT, HERO BASE - SKINNY INLINE FOCALS	1
11	1017022	2" HERO BASE ASSEMBLY - SKINNY INLINE FOCAL	1
12	1016983	PRODUCT DISPLAY BASE ASSY. - 11.5" X 11.5" X 1" - SKINNY INLINE FOCALS	1
13	1016996	PRODUCT DISPLAY BASE ASSY. - 5.25" X 11.5" X 1" - SKINNY INLINE FOCALS	1
14	1016989	WELDMENT, HERO BASE INSERT - SKINNY INLINE FOCALS	1
15	1004352	HERO FOCAL BACK INSERT	1
16	1017654	ASSY, TRUE WIRELESS DISPLAY - SKINNY GONDOLA	1

DETAIL C
SCALE 1 : 8

SCALE: 1:48
SHEET: 6 of 6


DRAWING NO.:
REV.:

C19 and 15K Vendor Guidelines

Black skinny lowbay gondola

Guidelines:

- This is the form factor for vendor-provided displays.
- Inline displays cannot have a lit header or lit graphic.
- Endcaps can have a lit header and/or lit graphic.
- No under-shelf/cabinet lighting on both inline and endcap.
- Display can hang into the lowbay gondola uprights, or sit on a Best Buy standard metal shelf.
- Shelf-sitting display must be attached using threaded studs, a wing nut or Christmas tree fasteners.
- Displays hanging in the uprights have a max depth of 12.5". Displays on a shelf cannot exceed the depth of the shelf.
- All product displayed must have pricing. Reference the ESL guideline document.
- Any buttons or touch interaction must follow ADA guidelines and follow the technology design standards.
- If a lock-up case is required, reach out to Best Buy for an engineered fixture; or develop one yourself, which will need Best Buy approval.
- All designs must be approved by Best Buy design.



6. Lowbay Endcap


Fixture Overview

Lowbay gondola endcaps are a standout space for you to tell a compelling brand story in your own voice.

Vendor Expectations

- Excite customers with an easy, intuitive experience.
- Use simple messaging that does one of three things:
 - 1) **Inspires.** Strikes an emotional chord.
 - 2) **Engages.** Connects a key benefit to the customer.
 - 3) **Educates.** Gives features and relevant information needed to make a decision.
- Ensure space and fixtures are ADA-compliant.

**Drawings and models of all parts available upon request.*





Note: Lowbay finish varies and may be either silver or black.

Fixture Varieties

Lowbay gondola endcaps exist in two widths: 2' and 4'. Each store has one or both of these widths. Ask your Best Buy contact which scenarios apply to your display.

Note: Endcap base deck depths may be referred to as 14" and 24" respectively. Dimensions shown on the right pertain to the merchandisable area.



Note: Base deck depths may vary. Ask your Best Buy contact for details.

Fixture Accessories (2')

The accessories shown are available in a variety of sizes, each designed specifically for use on 2' lowbay endcaps.

Ask your Best Buy contact for part numbers of any accessories you'd like to use.


Magnetic Backer Graphic Receptor

Standard Shelf

Universal Shelf

Merchandise Bar

Peg Hook




Fixture Accessories (4')

The accessories shown are available in a variety of sizes, each designed specifically for use on 4' lowbay endcaps.


Ask your Best Buy contact for part numbers of any accessories you'd like to use.

Magnetic Backer Graphic Receptor

Standard Shelf



Universal Shelf



Merchandise Bar

Peg Hook

Power and Attachments

Vendor Expectations


- Securely anchor the display to either the shelf or slotted uprights. (See *Best Buy's perforated shelves at right*).
- Remove any batteries from the product before displaying.
- Connect all power to a power strip that is directly connected to a power receptacle. Power strips cannot be daisy-chained.
- Secure demo product using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Neatly organize or hide additional power cords, plugs, etc. to avoid clutter and cord drape.
- See the Universal Inline guidelines for more details.




You will need details and dimensions in these guides on Partner Portal:

[Technology Design Standards](#)


[Universal Inline Guidelines](#)



Power Pass-Through on Backer



Shelf Anchoring



Base Deck

Power receptacle is provided and may be located as far as 12' away from product.

Graphics


The size of your graphics will vary based on your choice of merchandising options (see *next page*). Ask your Best Buy contact for any dimensions needed.

Vendor Expectations

- Display signage within the width, depth and height (max. 60”) of the endcap fixture.
- Include your logo in the top 6” of your display.
- Keep copy a minimum of 20” above the ground.

Best Practices

- Ensure the product is the hero of the presentation; all signage and collateral should act in support.
- Feature each signage element at its most impactful moment of the customer’s journey. (i.e. Copy-heavy signage should fall after a customer’s engagement with the product.)

 **You will need** details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Vendor Signage](#)

2’ Endcap



4’ Endcap



Merchandising

Vendor Expectations

- Choose Demo, Display, Dead Mock Display or Velocity merchandising.
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.
 - **Velocity:** A collection of packaged products neatly displayed on pegs or shelves.
- Display products and signage within the width, depth and height (max. 60”) of the endcap fixture.
- Include an electronic shelf label (ESL) for each product.
- Get approval from Best Buy’s Technology Design Lab for any working technology components (audio, video, etc).

Note: Printed representations of products are not permitted.



You will need details and dimensions in these guides on Partner Portal:

[ESL Pricing](#)

[Technology Design Standards](#)



Demo



Display



Dead Mock Display



Velocity

Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

Technology Design Standards

ESL Pricing

Additional useful guides:

Copy & Claims Guidelines

Universal Inline

Vendor Signage

2 REQUEST

from your Best Buy contact:


- Drawings and models of parts you want to order. Provide the CAD reference number for your preferred endcap option and specify Solidworks or STEP file type.

CAD Title	CAD Reference #
Dreamstate Endcap with Lowbay	R0005
4' Endcap with 12" Base Deck	R0006
4' Endcap with 24" Base Deck	R0007
4' Endcap with no Base Deck	R0008
2' (Skinny) Lowbay Endcap with 14" Base Deck	R0017
2' (Skinny) Lowbay Endcap with no Base Deck	R0018

7. Perimeter Racking

C19 and 15K Vendor Guidelines

Black perimeter racking – Parts list



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1012965	ASSY, PERIMETER RACKING, 4' X 8' - STARTER	1
2	1012966	ASSY, PERIMETER RACKING, 4' X 8' - ADD-ON	1
3	1012971	ASSY, ADD-ON, 4' PERIMETER RACKING EXTENSION	1
4	1012972	ASSY, STARTER, 4' PERIMETER RACKING EXTENSION	1
5	1013768	PERIMETER WALL HEADER - BLANK	2
6	1012975	PANEL, PERIMETER RACKING BACKER - 45.875" X 28.875"	6
7	1012978	PANEL, PERIMETER BACKER, 4' EXTENSION	2

DATE: 12/17/20	PROJECT: BLACK PERIMETER RACKING	REV.:	
SHEET: 1 of 4			

C19 and 15K Vendor Guidelines

Black perimeter racking – Merchandising parts list

Guidelines:

- Shows the parts and pieces used and available for perimeter racking

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1012248	ADJUSTABLE SHELF, 14" D X 48" W - BLACK	1
2	1012249	ADJUSTABLE SHELF, 18" D X 48" W - BLACK	1
3	1016891	SHELF, 10.5" X 48", ADJUSTABLE	1
4	1014797	SHELF, 12" X 48", ADJUSTABLE - BLACK	1
5	1012251	ADJUSTABLE SHELF, 22" D X 48" W - BLACK	1
6	1010625	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 10" DEEP - BLACK	1
7	1010753	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 1.5" DEEP - BLACK	1
8	1010634	MERCHANDISE BAR, 1.0" X 2.0" TUBE X 48" LG - 1.5" DEEP - HD - BLACK	1
9	1010744	MERCHANDISE BAR, EXTENDED 6.00' - 48.0 X 1.5 X 0.50 - BLACK	1
10	1010750	MERCHANDISE BAR, EXTENDED 8.00' - 48.0 X 1.5 X 0.50 - BLACK	1
11	1010642	PEGHOOK, 1.75" LOOP X 16.00" LG SUPER HEAVY DUTY GUSSETED W/FISH TIP	1
12	1010643	PEG HOOK WELDMENT, 1.0" LOOP X 12.00" LG HEAVY DUTY GUSSETED W/SCANNER TAG	1
13	1010717	PEG HOOK, 4" - WIRE GRID AND MERCH BAR	1
14	1010659	PEG HOOK WELDMENT, 1.0" LOOP X 8.00" LG HEAVY DUTY STRAIGHT W/SCANNER TAG	1
15	1010621	PEG HOOK, 16" - WIRE GRID AND MERCH BAR	1
16	1010754	PEG HOOK, 8" - WIRE GRID AND MERCH BAR	1

DATE: 12/17/20	PROJECT: BLACK PERIMETER RACKING	REV.:	
SHEET: 2 of 4			


C19 and 15K Vendor Guidelines

Black perimeter racking – Parts list

Guidelines:

- Shows the parts and pieces used and available for perimeter racking


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1010755	WELDMENT, 48" PLASMA MOUNT W/ TROUGH	1
2	1010707	TV WALL DOUBLE FACT TAG HOLDER - ASSEMBLY - BLACK	1
3	1010664	SOUNDBAR SHELF - TOP LEVEL - EXTRA FINE BLACK	1



DATE: 12/17/20	PROJECT: BLACK PERIMETER RACKING	REV.:	
SHEET: 3 of 4			

C19 and 15K Vendor Guidelines

Black perimeter racking




C19 and 15K Vendor Guidelines

Black perimeter racking

Guidelines:

- Vendors can either utilize all BBY kit of parts to outfit their space or they can provide a VPP that will fit into our perimeter racking.
- Vendor can provide graphic(s) to their space
- Number of graphics and graphic dimensions determined by vendor.
- Display and graphics cannot exceed 120" A.F.F.
- Graphic thickness should be as minimal as possible; thickness should be determined on material substrate/functional pieces (i.e., light panel thickness, monitor thickness) not aesthetics.
- Product display areas not to exceed the depth of base deck.
- All merchandising/display fixtures and placement selected by vendor must meet ADA requirements.
- All product displayed must have pricing. Reference the ESL guideline document.
- Any buttons or touch interactives **must follow ADA guidelines**, guidelines provided by Best Buy.



Graphic Options

- Lightbox(es)
- Static graphic(s) (styrene, fabric, etc.)
- Monitor(s), BBY has a monitor

Product Display Area


- Cannot exceed base deck.
- All merchandising/display fixtures and placement selected by vendor **must meet ADA requirements**.
- For all display product and box stock product, ESL pricing tags need to be incorporated. BBY has catalog ESL holders. ESL guidelines available upon request.

C19 and 15K Vendor Guidelines

Black perimeter racking

Guidelines:

- To the right is the bare bones fixture package for this space, all BBY provided
- Vendors must keep the BBY-provided black headers in their space
- Vendors must use the BBY perimeter racking in their space
- Vendors can either utilize all BBY kit of parts to outfit their space, or they can provide a VPP that fit into BBY perimeter racking





Black band lit logos (BBY provided, vendor-approved artwork)

BBY perimeter racking

- VPP or BBY kit of parts will utilize this structure for attachment/positioning
- Perimeter racking drawings and models available upon request


C19 and 15K Vendor Guidelines

Black perimeter racking




C19 and 15K Vendor Guidelines

Black perimeter racking



1

Utilizing BBY black 4-foot-on-center perimeter racking and BBY merchandising kit of parts (visual is for inspiration only, vendor can mix and match merchandising fixtures as desired)




2

Utilizing BBY black 4-foot-on-center on center perimeter racking and creating a VPP to outfit the rest of the space


C19 and 15K Vendor Guidelines

Black perimeter racking




1

Black 4-foot-on-center perimeter racking with BBY specified finish for backers (Gem-Lite Stone Grey)



2

Black 4-foot-on-center perimeter racking with vendor spec finish for backers




3

Black 4-foot-on-center perimeter racking with unique-to-vendor VPP backdrop

C19 and 15K Vendor Guidelines


Black perimeter racking



1

soundbar shelf - single ESL

- supports monitor
- supports soundbar
- holds 1 row of ESLs



2

double ESL holder

- supports monitor
- holds 2 rows of ESLs



3


plasma mount with trough



4


standard shelf options (all black)

- 12"d x 48"w
- 14"d x 48"w
- 18"d x 48"w
- 22"d x 48"w



5

48" on center merchandising bar



6

peg hooks for merch bars

- 4" black
- 8" black
- 12" black
- 16" black

Note:
See ESL guidelines, provided by Best Buy, for ESL placement and what is used to attach the ESL price tags.

8. Perimeter Wall Standards


C19 and 15K Vendor Guidelines

Black wall standards – Parts list

Guidelines:

- When using a pegboard, must be (1) #9 and (2) #10

COPYRIGHT © - SEE SHEET 1



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1017442	2FT. WALL STANDARDS DISPLAY - STARTER	1
2	1017450	2FT. WALL STANDARDS DISPLAY - ADD ON	1
3	1016243	4FT. WALL STANDARDS DISPLAY - STARTER	1
4	1016242	4FT. WALL STANDARDS DISPLAY - ADD ON	1
5	1016290	PEG HOOK, 8.0" LG., BLACK, FRONT LANE FIXTURE, PEGBOARD VERSION	1
6	1016291	PEG HOOK, 10.0" LG., BLACK, FRONT LANE FIXTURE, PEGBOARD VERSION	1
7	1016332	PEG HOOK, 12.0" LG., BLACK, FRONT LANE FIXTURE, PEGBOARD VERSION	1
8	1016333	PEG HOOK, 4.0" LG., BLACK, FRONT LANE FIXTURE, PEGBOARD VERSION	1
9	1017054	PANEL, PEGBOARD, HOOK IN - BLACK WALL STANDARDS DISPLAY	1
10	1017053	TUBE, ADD-ON UPRIGHTS - BLACK WALL STANDARDS DISPLAY	1
11	1013953	3FT. WALL STANDARDS DISPLAY - ADD ON	1
12	1013954	3FT. WALL STANDARDS DISPLAY - STARTER	1
13	1013989	BLACK WALL STANDARDS DISPLAY - ADD-ON	1
14	1013990	BLACK WALL STANDARDS DISPLAY - STARTER	1
15	1015209	PANEL, PERIMETER RACKING BACKER - 45.875" X 35.375"	1
16	1012977	PANEL, PERIMETER BACKER, 2' EXTENSION	1
17	1012975	PANEL, PERIMETER RACKING BACKER - 45.875" X 28.875"	1

SCALE:
1:64
SHEET:
1 of 3

DRAWING NO.:

REV.:



C19 and 15K Vendor Guidelines

Black wall standards – Merchandising parts list

Guidelines:

- Parts and pieces used and available for wall standards

COPYRIGHT © - SEE SHEET 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1012248	ADJUSTABLE SHELF, 14" D X 48" W - BLACK	1
2	1012249	ADJUSTABLE SHELF, 18" D X 48" W - BLACK	1
3	1016891	SHELF, 10.5" X 48", ADJUSTABLE	1
4	1014797	SHELF, 12" X 48", ADJUSTABLE - BLACK	1
5	1010625	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 10" DEEP - BLACK	1
6	1010753	MERCHANDISE BAR, 1/2" X 1.0" TUBE X 48" LG - 1.5" DEEP - BLACK	1
7	1010634	MERCHANDISE BAR, 1.0" X 2.0" TUBE X 48" LG - 1.5" DEEP - HD - BLACK	1
8	1010744	MERCHANDISE BAR, EXTENDED 6.00" - 48.0 X 1.5 X 0.50 - BLACK	1
9	1010750	MERCHANDISE BAR, EXTENDED 8.00" - 48.0 X 1.5 X 0.50 - BLACK	1
10	1010642	PEGHOOK, 1.75" LOOP X 16.00" LG SUPER HEAVY DUTY GUSSETED W/FISH TIP	1
11	1010643	PEG HOOK WELDMENT, 1.0" LOOP X 12.00" LG HEAVY DUTY GUSSETED W/SCANNER TAG	1
12	1010717	PEG HOOK, 4" - WIRE GRID AND MERCH BAR	1
13	1010659	PEG HOOK WELDMENT, 1.0" LOOP X 8.00" LG HEAVY DUTY STRAIGHT W/SCANNER TAG	1
14	1010621	PEG HOOK, 16" - WIRE GRID AND MERCH BAR	1
15	1010754	PEG HOOK, 8" - WIRE GRID AND MERCH BAR	1

SCALE: 1:64	DRAWING NO.:	REV.:
SHEET: 2 of 3		

C19 and 15K Vendor Guidelines

Black wall standards

COPYRIGHT © - SEE SHEET 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013990	BLACK WALL STANDARDS DISPLAY - STARTER	1
2	1013989	BLACK WALL STANDARDS DISPLAY - ADD-ON	2
3	1016243	4FT. WALL STANDARDS DISPLAY - STARTER	1
4	1016242	4FT. WALL STANDARDS DISPLAY - ADD ON	2
5	1013768	PERIMETER WALL HEADER - BLANK	3
6	1012975	PANEL, PERIMETER RACKING BACKER - 45.875" X 28.875"	6
7	1012978	PANEL, PERIMETER BACKER, 4' EXTENSION	3
8	1017053	TUBE, ADD-ON UPRIGHTS - BLACK WALL STANDARDS DISPLAY	6
9	1017054	PANEL, PEGBOARD, HOOK IN - BLACK WALL STANDARDS DISPLAY	3

NOTE:
CAN ONLY COME OUT TO 24" IF USING A TABLE THAT GOES TO THE FLOOR AND HAS SIDES FOR ADA COMPLIANCE

SCALE: 1:32
SHEET: 3 of 3


DRAWING NO.:
REV.:

C19 and 15K Vendor Guidelines

Black wall standards

Guidelines:

- Vendors can either utilize all BBY kit of parts to outfit their space, or they can provide a VPP that fit into our wall standards.
- Vendor can provide graphic(s) to their space
- Number of graphics and graphic dimensions determined by vendor.
- Display and graphics cannot exceed 120" A.F.F.
- Graphic thickness should be as minimal as possible, thickness should be determined on material substrate/functional pieces (light panel thickness, monitor thickness, etc.) not on aesthetics.
- Product display areas should not exceed 24"-depth-off-the-wall standard.
- All merchandising/display fixtures and placement selected by vendor **must meet ADA requirements**.
- All product displayed must have pricing. Reference the Best Buy ESL guideline document.



Graphic options

- lightbox(es)
- static graphic(s) (styrene, fabric, etc.)
- monitor(s), BBY has a monitor

Product display area


- cannot exceed 24" depth
- all merchandising/display fixtures and placement selected by vendor **must meet ADA requirements**
- ESL pricing tags need to be incorporated into all display, box and stock product

C19 and 15K Vendor Guidelines

Black wall standards

Guidelines:

- Shown is the bare bones fixture package for this space, all BBY-provided.
- Vendor's must keep the BBY-provided black header in their space
- Vendor's must use the BBY wall standards in their space
- Vendor's can either utilize all BBY kit of parts to outfit their space, or they can provide a VPP that fits into BBY wall standards




Black band lit logos (BBY provided, vendor-approved artwork)

BBY wall standards

- weight load maximum: 350lbs per 4ft section
- VPP or BBY kit of parts will utilize these wall standards for attachment/positioning
- Wall standard drawings and models available upon request.


C19 and 15K Vendor Guidelines

Black wall standards



1

Utilizing BBY black 4-foot-on-center wall standards and BBY merchandising kit of parts (visual is for inspiration only, vendor can mix and match merchandising fixtures as desired)




2

Utilizing BBY black 4-foot-on-center wall standards and creating a VPP to outfit the rest of the space


C19 and 15K Vendor Guidelines

Black wall standards




1

Black 4-foot-on-center wall standards with BBY-specified finish for backers (Gem-Lite Stone Grey)



2

Black 4-foot-on-center wall standards with vendor spec finish for backers




3


Black 4-foot-on-center wall standards with unique-to-vendor VPP backdrop

C19 and 15K Vendor Guidelines

Black wall standards



Backer options



1

pegboard panel




2


flat panel

C19 and 15K Vendor Guidelines


Black wall standards



48" on center merchandising bar + peg hooks




pegboard backer + peg hooks




standard shelf options (all black)

- 10.5"d x 48"w
- 12"d x 48"w
- 14"d x 48"w
- 18"d x 48"w



peg hooks for merch bars

- 4" black
- 8" black
- 12" black
- 16" black



peg hooks for pegboard panel

- 4" black
- 8" black
- 12" black
- 16" black

Note:
See BBY-provided ESL guidelines for placement and attachment materials.

C19 and 15K Vendor Guidelines

Black wall standards

Guidelines:

- Can use the Best Buy Product Table, see product table vendor guidelines



7

Product table

- merchandising bars with peg hooks available under the table
- shelves available for under the table
- lockable door kits available for this table as well: glass or white powdercoated steel




metal door option





glass door option

9. Shelf Dimensions & Perf Patterns



BEST BUY SHELF DETAILS			MERCHANDISING AREA	
SHELF COMMON NAME	EPDM NUMBERS	FINISH	W (INCHES)	D (INCHES)
10.5" X 48"	1016891	BLACK	47.7	10.4
10.5" X 24"	1017727	BLACK	23.7	10.4
12" X 48"	1014797	BLACK	47.7	11.9
	1016889	WHITE		
12" X 24"	1017788	BLACK	23.7	11.9
	1022211	WHITE		
14" X 48"	1012248	BLACK	47.7	13.7
	1021561	WHITE		
	1008678	SILVER		
14" X 24"	1012247	BLACK	23.7	13.7
	1008677	SILVER		
18" X 48"	1012249	BLACK	47.7	17.7
	1021562	WHITE		
	1008683	SILVER		
18" X 24"	1012250	BLACK	23.7	17.7
	1008687	SILVER		
22" X 48"	1012251	BLACK	47.7	21.7
	1008693	SILVER		
22" X 24"	1012252	BLACK	23.7	21.7
	1008695	SILVER		




DIMENSIONS IN INCHES




22" METAL SECURITY CABINET / SHELF




SKINNY SECURITY CABINET / 12" SHELF



14" BLACK SHELF W/ SLOTS



18" BLACK SHELF W/ SLOTS




10. Slotted Vertical Uprights

Overview

Slotted vertical uprights are the primary form of attachment for shelves, graphics, and displays on Best Buy racking fixtures, including lowbay, high bay, and perimeter racking.

**Drawings and models of all parts available upon request.*



Spacing

Slotted vertical uprights are spaced in increments of either 24" or 48"—center-to-center—on most lowbay and perimeter fixtures.


Shelves, graphics and displays that attach to the uprights must be 0.125" less than the uprights to ensure a proper fit.

— **A 48" span holds a display that is 47.875" wide.**

Although single-increment attachments are preferred, your presentation may span multiple uprights if needed. If this is the case, the same 0.125" rule applies.


— **A 96" span holds a display that is 95.875" wide.**

— **A 144" span holds a display that is 143.875" wide.**




Slot Dimensions

Upright slots are 0.75”H x 0.375”W. They are spaced 0.25” apart in a repeating pattern. The upright thickness is 9-gauge (0.115”).



Front View




Side Section View

Recommended Attachments

Fixtures are attached to uprights with teeth (also referred to as tabs or hooks). The following are Best Buy's recommended attachment styles to utilize for your display:


- Light Duty Tooth
- Tip-in Tooth
- Heavy Duty Tooth
- Locking Tooth

**Drawings and models of all parts available upon request.*



Light Duty Tooth


This basic tooth pattern is primarily used for lightweight displays. It is non-load bearing and cannot be used for demo products.



Tip-in Tooth


This secure tooth prevents the attached fixture from sliding out when upward force is applied. It is primarily used on merchandise bars or for demo products and peggable products.

The Tip-in Tooth is not recommended for larger/heavier fixtures where tip installation would be prohibitive.



Heavy Duty Tooth



This tooth pattern is primarily used for shelves and heavier loads. It features 3+ teeth for stability, a 0.5-degree "lift" on the shelf to account for sag from loading, and a lower extension that rests on the front of the upright.




Locking Tooth

This secure tooth prevents the attached fixture from lifting or sliding out when upward force is applied. It features a slider tooth that is locked into the upright slot after the shelf is installed.

This tooth is primarily used when upward force is expected (demo products) and when the attached load must be secured because of seismic or weight concerns.



Locking tooth on heavy duty shelf with four teeth




Locking tooth engaged

11. Product Tables

C19 VPD Product table Guidelines – Parts list

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1016946	PRODUCT TABLE TOP ASSY	1
2	1010494	ASSY, GLASS DOOR KIT - PRODUCT TABLES	1
3	1012870	ASSY, METAL DOOR KIT - PRODUCT TABLES	1
4	1010496	WELDMENT, SHELF - PRODUCT TABLE	1
5	1014896	WELDMENT, TIE BAR - PRODUCT TABLE	1
6	1017482	ASSY, GRAPHIC BOX FRAME - PRODUCT TABLE	1
7	1017060	TOP ASSY, RISER - PRODUCT TABLE	1
8	DI Table Lens Case Assembly_Option 2		1
9	1017874	ASSY, DOUBLE LIGHT BOX UPGRADE KIT - PRODUCT TABLE	1
10	1017875	ASSY, SINGLE LIGHT BOX UPGRADE KIT - PRODUCT TABLE	1



This part is currently being prototyped. When files are complete, this will get a part # and solidworks files will be uploaded at that time.

DATE 12/17/20	PROJECT:	REV:	
SHEET:			


C19 VPD Product table

Guidelines – Product mount parts list

Guidelines:

- Existing parts, created by Best Buy, to display products on countertops
- These parts may be used by vendors, or they can create their own


ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1017392	ANGLED DISPLAY CASE TOP ASSY. - TRUE WIRELESS	1
2	1011558	CONNECTOR PLATE - UNIVERSAL PLATFORMS	1
3	1011565	PRODUCT DISPLAY BASE ASSY, 11.5" X 12.5" - UNIVERSAL PLATFORMS	1
4	1011570	PRODUCT DISPLAY BASE ASSY, 5.25" X 12.5" - UNIVERSAL PLATFORMS	1
5	1011852	PRODUCT DISPLAY BASE ASSY, FREESTANDING - UNIVERSAL PLATFORMS	1
6	1015820	PRODUCT DISPLAY BASE ASSY, W/O MOUNTING PLATE - UNIVERSAL PLATFORMS	1
7	1017964	TABLE FOCAL - UNIVERSAL PLATFORMS - SAARINEN	1
8	1018127	ASSY, SOF FOCAL L FRAME - SAARINEN DRIFTWOOD	1



DATE 12/17/20	PROJECT: PRODUCT TABLES	REV.:	
SHEET:			

C19 VPD Product table

Guidelines – Overall dimensions



C19 VPD Product table Guidelines – Graphic frame

Guidelines:


- Product tables, either lit or non-lit will use the same graphic frame

Non-lit graphics:

- Vendor supplies the graphic
- Graphic material to be 12pt C1S White
- Departments using non-lit graphics are Computing, PC Gaming

Lit graphics:

- Vendor supplies the graphic
- Graphic material to be .015 Translucent Styrene
- Departments using lit graphics are Wearables, Headphones and Cameras / DI




DATE: 12/17/20	PROJECT.:	REV.:	
SHEET: 4 of 5			

C19 VPD Product table

Guidelines – 4 foot display option 1

Guidelines:

- Vendor uses the existing tops, finish is Omnova Saarinen Driftwood.
- Products, product mounts or display must attach securely to the slot in the top.
- Must be able to access all electronics and the powerstrip without having to remove any product or display. Must be accessible without having to use tools.
- See page 4 (overall drawing) within this deck for the space that is allowed for the vendor display.
- Vendor uses the Best Buy-supplied graphic frame.
- Specifications for the graphics are included in this deck.
- Vendor display to not overhang the white border on the table top or extend above the graphic frame and to stay within the allowable space shown in this deck.
- If Best Buy is not supplying sliding doors, shelves or merch bars, you may produce them using the drawings provided.
- No undercabinet lighting on any of the sections.
- No framing to go on the outside of the cabinet.
- Designs must be approved by Best Buy before prototyping.
- All product displayed must have pricing. Reference the ESL guideline document.
- If buttons or interaction is required, they must follow ADA guidelines and the technology design standards.




C19 VPD Product table

Guidelines – 4 foot display option 2

Guidelines:

- Vendor removes the Best Buy-supplied tops and inserts tops with a finish of their choice or display insets into the table.
- Tops can raise above the top of the cabinet by 3/4" so edge of top is visible. Must be 3/4", no more or no less. Display or any items on the display must not go higher than the graphic frame.
- Tops must be edgebanded either in white or a match to the finish used.
- Reference part #1016943 and #1016944 for dimensions of the tops.
- Must be able to access all electronics and the powerstrip without having to remove any product or display. Must be accessible without having to use tools.
- See page 4 (overall drawing) within this deck for the space that is allowed for the vendor display.
- Vendor uses the Best Buy-supplied graphic frame.
- Specifications for the graphics are included in this deck.
- Vendor display to not overhang the white border on the table top or extend above the graphic frame and to stay within the allowable space shown in this deck.
- If Best Buy is not supplying sliding doors, shelves or merch bars, you may produce them using the drawings provided.
- No undercabinet lighting on any of the sections.
- No framing to go on the outside of the cabinet.
- Designs must be approved by Best Buy before prototyping.
- All product displayed must have pricing. Reference the ESL guideline document.
- If buttons or interaction is required, they must follow ADA guidelines and the technology design standards.




C19 VPD Product table

Guidelines – 4 foot display option 3




Guidelines:

- Vendor removes the Best Buy-supplied tops and inserts an L-shaped display.
- Tops can raise above the top of the cabinet by 3/4" so edge of top is visible. Must be 3/4", no more or no less. Display or any items on the display must not go higher than the graphic frame.
- Tops must be edgebanded either in white or a match to the finish used.
- Must be able to access all electronics and the powerstrip without having to remove any product or display. Must be accessible without having to use tools.
- Back panel can have a monitor and the monitor and electronics must get approved by the C7 lab at Best Buy. See the Best Buy technology standards.
- If it is in a department requiring non-lit graphics, the graphics cannot be lit. If it is in a department that requires lit graphics, the back panel must be lit to keep a consistent look.
- If the display is in a department that uses lit graphics, you may choose how to light your graphics (e.g., fabric, full monitor, duratrans)
- Vendor display to not overhang the white border on the table top or extend above the graphic frame and to stay within the allowable space shown in this deck.
- If Best Buy is not supplying sliding doors, shelves or merch bars, you may produce them using the drawings provided.
- No undercabinet lighting on any of the sections.
- No framing to go on the outside of the cabinet.
- Designs must be approved by Best Buy before prototyping.
- All product displayed must have pricing. Reference the ESL guideline document.
- If buttons or interaction is required, they must follow ADA guidelines and the technology design standards.

- Best Buy graphic frame
- Graphic frames will not get removed
 - Vendors back panel will cover the front of the frame
 - Back side of the vendors back panel must be white



- Top and vertical sides to match the finish of the Best Buy-supplied frames
- Finish is Tiger Drylac White Fine Texture 049-13150




C19 VPD Product table

Guidelines – 8 foot display option

Guidelines:

- Vendor removes the Best Buy-supplied tops and inserts an L-shaped display.
- Tops can raise above the top of the cabinet by 3/4" so edge of top is visible. Must be 3/4", no more or no less. Display or any items on the display must not go higher than the graphic frame.
- Tops must be edgebanded either in white or a match to the finish used.
- Must be able to access all electronics and the powerstrip without having to remove any product or display. Must be accessible without having to use tools.
- Back panel can have a monitor and the monitor and electronics must get approved by the C7 lab at Best Buy. See the Best Buy technology standards.
- If it is in a department requiring non-lit graphics, the graphics cannot be lit. If it is in a department that requires lit graphics, the back panel must be lit to keep a consistent look.
- If the display is in a department that uses lit graphics, you may choose how to light your graphics (e.g., fabric, full monitor, duratrans)
- Vendor display to not overhang the white border on the table top or extend above the graphic frame and to stay within the allowable space shown in this deck.
- If Best Buy is not supplying sliding doors, shelves or merch bars, you may produce them using the drawings provided.
- No undercabinet lighting on any of the sections.
- No framing to go on the outside of the cabinet.
- Designs must be approved by Best Buy before prototyping.
- All product displayed must have pricing. Reference the ESL guideline document.
- If buttons or interaction is required, they must follow ADA guidelines and the technology design standards.


- Best Buy graphic frame
- Graphic frames will not get removed
 - Vendor's back panel will cover the front of the frame
 - Back side of the vendor's back panel must be white



If a vendor has the full inline section on one side of the lowbay, they can create a seamless display between the 48" sections.

Top and vertical sides to match the finish of the Best Buy-supplied frames

- Finish is Tiger Drylac White Fine Texture 049-13150




C19 VPD Product table

Guidelines – 2 foot display option

Guidelines:

- Vendor removes the Best Buy-supplied tops and inserts an L-shaped display.
- Top of vendor display must be flush with the top of the table
- Tops must be edgebanded either in white or a match to the finish used.
- Must be able to access all electronics and the powerstrip without having to remove any product or display. Must be accessible without having to use tools.
- Back panel can have a monitor. Monitor and electronics must get approved by the C7 lab at Best Buy. See the Best Buy technology standards.
- If it is in a department requiring non-lit graphics, the graphics cannot be lit. If it is in a department that requires lit graphics, the back panel must be lit to keep a consistent look.
- If the display is in a department that uses lit graphics, you may choose how to light your graphics (e.g., fabric, full monitor, duratrans)
- Vendor display can not overhang the white border on the table top or extend above the graphic frame and must stay within the allowable space shown in this deck.
- No undercabinet lighting on any of the sections.
- No framing to go on the outside of the cabinet.
- Designs must be approved by Best Buy before prototyping.
- All product displayed must have pricing. Must be designed to use ESL pricing.
- If buttons or interaction is required, they must follow ADA guidelines and the technology design standards.




- Best Buy graphic frame
- Graphic frames will not get removed
 - Vendors back panel will cover the front of the frame
 - Back side of the vendors back panel must be white



2 foot display is needed when a vendor has half of the table to display their product. This is the only option for a 2 foot display


Top and vertical sides to match the finish of the Best Buy-supplied frames

- Finish is Tiger Drylac White Fine Texture 049-13150




C19 VPD Product table

Guidelines – Tables with focal frame



Graphics can be supplied by vendor, or Best Buy. If supplied by vendor the graphic information is included in the guidelines for the focal frame.

- Tables with focal and graphics on all sections
- Can use vendor options 1, 2 and 3 for the endcap table
 - Can use vendor options 1, 2, 3 and 4 for the inline tables



Graphics can be supplied by vendor, or Best Buy. If supplied by vendor the graphic information is included in the guidelines for the focal frame.

Product table riser
• #1017060


DI lens acrylic case

- Tables with focal and graphic only on the endcap
- Can use vendor options 1, 2 and 3 for the endcap table
 - Can use vendor options 1 and 2 for inline tables

C19 VPD Product table

Guidelines – Single table with focal frame

Graphics can be supplied by vendor, or Best Buy. If supplied by vendor the graphic information is included in the guidelines for the focal frame.




- Single table with focal frame
- Can use vendor options 1 and 2 for the table

Table Inline


NOTE: Some stores and categories have variations of these fixtures and graphic sizes. Graphic sizes also may vary depending upon table type. Refer to the store list and templates provided by your Store Experience Project Manager (SEPM) for the correct sizes and specifications of your signage.



Top view of the sections




NOTE: Base deck depths may vary. See store list for details.



12. Focal Frame

C19 and 15K Vendor Guidelines


Focal Frame – Parts list



ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1014137	ASSY, FOCAL FRAME FILLER PANEL KIT	1
3	1010340	ASSY, CABINET INSERT - FOCAL FRAMES	1
4	1010341	ASSY, HALF HEIGHT CENTER PILLAR KIT - FOCAL FRAME	1
5	1010343	ASSY, FRAME, NON-BACKLIGHT, FABRIC GRAPHIC KIT - FOCAL FRAME	1
6	1010344	ASSY, SLIDING DOOR KIT, 51" X 72" - FOCAL FRAME	1
7	1013107	ASSY, BACKLIGHT FRAME, FABRIC GRAPHIC KIT - FOCAL FRAME	1
8	1010345	ASSY, SLATWALL MODULE, 51" X 72" - FOCAL FRAME	1
9	1016443	ASSY, FRAME, NON-BACKLIGHT, FABRIC GRAPHIC KIT - FOCAL FRAME	1
10	1016425	ASSY, FULL LIGHT BOX, 43.46" X 62.87" - FOCAL FRAMES	1
11	1011443	ASSEMBLY, PILLAR TV MOUNT, 67.375" - FOCAL FRAMES	1
12	1017369	ASSY, LIGHT BOX, 43.46" X 21.938" - FOCAL FRAMES	1
13	1017356	ASSY, CABINET INSERT, 42.25" H - FOCAL FRAMES	1
14	1017430	ASSY, QUARTER HEIGHT CENTER PILLAR KIT - FOCAL FRAME	1

Monitor option note:

- Monitor and mount are not available in solidworks
- Monitor spec is a 50" Samsung 50QMR/QBR
- Monitor mount is a Sanus VMPL3
- Monitor mount bolts directly to the focal pillar

SCALE: 1:64	DRAWING NO.:	REV.:	
SHEET: 1 of 7			

Store Design

C19 and 15K Vendor Guidelines

Focal frame – Non-lit frame

Guidelines:

- Graphic is supplied by vendor if it has vendor messaging. Supplied by Best Buy if it has Best Buy messaging
- Graphic guidelines are shown within this guideline deck
- This graphic is non lit and uses stretch fabric
- If slatwall is used on the back side, the pegs must not exceed 4" in length

COPYRIGHT © - SEE SHEET 1

NOTE: 4" PEGS ARE THE LONGEST THAT CAN BE USED

NOTE: GRAPHIC CAN BE SUPPLIED BY BEST BUY OR VENDOR. SEE PAGE REGARDING GRAPHICS WITHIN THIS GUIDELINE DECK

NOTE: SLATWALL SHOWN BUT THE BACK SIDE OF THE FOCAL COULD ALSO BE A FABRIC GRAPHIC, LIGHT BOX OR MONITOR

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1010340	ASSY, CABINET INSERT - FOCAL FRAMES	1
3	1010341	ASSY, HALF HEIGHT CENTER PILLAR KIT - FOCAL FRAME	1
4	1010343	ASSY, FRAME, NON-BACKLIGHT, FABRIC GRAPHIC KIT - FOCAL FRAME	1
5	1010345	ASSY, SLATWALL MODULE, 51" X 72" - FOCAL FRAME	1
7	1016946	PRODUCT TABLE TOP ASSY	1

SECTION A-A SCALE 1 : 16

Note:
Product table shown as a reference as there are multiple table layout options. See product table guidelines for additional information.

SCALE: 1:24
SHEET: 2 of 7

DRAWING NO.:
REV.:


BEST BUY

C19 and 15K Vendor Guidelines

Focal frame – Non-lit frame

Guidelines:

- Specified fabric is PPI Samba backlit fabric with a sewn or heat weld 5/16" keder around the entire graphic
- Best Buy is open to alternative fabrics



C19 and 15K Vendor Guidelines

Focal frame – Lit frame

Guidelines:

- Graphic is supplied by vendor if it has vendor messaging. Supplied by Best Buy if it has Best Buy messaging
- Graphic guidelines are shown within this guideline deck
- This graphic is lit and uses stretch fabric
- If slatwall is used on the back side, the pegs must not exceed 4" in length

COPYRIGHT © - SEE SHEET 1

NOTE: 4" PEGS ARE THE LONGEST THAT CAN BE USED

NOTE: GRAPHIC CAN BE SUPPLIED BY BEST BUY OR VENDOR. SEE PAGE REGARDING GRAPHICS WITHIN THIS GUIDELINE DECK

SECTION C-C SCALE 1 : 16

NOTE: SLATWALL SHOWN BUT THE BACK SIDE OF THE FOCAL COULD ALSO BE A FABRIC GRAPHIC, LIGHT BOX OR MONITOR

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1010340	ASSY, CABINET INSERT - FOCAL FRAMES	1
3	1010345	ASSY, SLATWALL MODULE, 51" X 72" - FOCAL FRAME	1
4	1013107	ASSY, BACKLIGHT FRAME, FABRIC GRAPHIC KIT - FOCAL FRAME	1
5	1016946	PRODUCT TABLE TOP ASSY	1
6	1010341	ASSY, HALF HEIGHT CENTER PILLAR KIT - FOCAL FRAME	1

Note:
Product table shown as a reference as there are multiple table layout options. See product table guidelines for additional information.

SCALE: 1:24
SHEET: 3 of 7

DRAWING NO.:
REV.:


BEST BUY

C19 and 15K Vendor Guidelines

Focal frame – Lit frame

Guidelines:

- Specified fabric is PPI Samba backlit fabric with a sewn or heat weld 5/16" keder around the entire graphic
- Best Buy is open to alternative fabrics



C19 and 15K Vendor Guidelines

Focal frame – Monitor

COPYRIGHT © - SEE SHEET 1

NOTE:
4" PEGS ARE THE LONGEST THAT CAN BE USED

2.01

MONITOR FOR DIGITAL SIGNAGE AND TO RUN CONTENT

3.72

72.00

12.00

SECTION D-D
SCALE 1 : 16

51.00

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1010340	ASSY, CABINET INSERT - FOCAL FRAMES	1
3	1010341	ASSY, HALF HEIGHT CENTER PILLAR KIT - FOCAL FRAME	1
4	1010345	ASSY, SLATWALL MODULE, 51" X 72" - FOCAL FRAME	1
5	MOCK MONITOR		1
6	1016946	PRODUCT TABLE TOP ASSY	1

Monitor option note:

- Monitor and mount are not available in solidworks
- Monitor spec is a 50" Samsung 50QMR/QBR
- Monitor mount is a Sanus VMPL3
- Monitor mount bolts directly to the focal pillar

NOTE:
SLATWALL SHOWN BUT THE BACK SIDE OF THE FOCAL COULD ALSO BE A FABRIC GRAPHIC, LIGHT BOX OR MONITOR

Note:
Product table shown as a reference as there are multiple table layout options. See product table guidelines for additional information.


SCALE: 1:24
SHEET: 4 of 7

DRAWING NO.:
REV.:

BEST BUY


C19 and 15K Vendor Guidelines

Focal frame – Monitor




TV mount

- Vendor's responsibility
- Sanus mount VMPL3



TV


- Vendor's responsibility
- Drawing and specification of TV are shown in this document. Contact Best Buy C7 Lab with any questions



C19 and 15K Vendor Guidelines

Focal frame – Monitor

50QMR/QBR SET DIMENSION_200317




C19 and 15K Vendor Guidelines

Focal frame – DI / Camera lens case

Guidelines:

- 15K store layouts will not utilize this layout for lenses in DI. These stores will use the product riser and lens case. See product table guidelines.

COPYRIGHT © - SEE SHEET 1




ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1010340	ASSY, CABINET INSERT - FOCAL FRAMES	1
3	MOCK MONITOR		1
4	1016946	PRODUCT TABLE TOP ASSY	1
5	1010344	ASSY, SLIDING DOOR KIT, 51" X 72" - FOCAL FRAME	1

Monitor option note:

- Monitor and mount are not available in solidworks
- Monitor spec is a 50" Samsung 50QMR/QBR
- Monitor mount is a Sanus VMPL3
- Monitor mount bolts directly to the focal pillar

NOTE:
MONITOR SHOWN BUT COULD ALSO USE
THE LIGHT BOX OR GRAPHIC FRAME




Note:
Product table shown as a reference as there
are multiple table layout options. See product
table guidelines for additional information.

SCALE: 1:24	DRAWING NO.:	REV.:	
SHEET: 5 of 7			

C19 and 15K Vendor Guidelines

Focal frame – DI / Camera lens case




Product table

- See product table vendor guidelines deck

Monitor, lit graphic or unlit graphic can be used. See pages 3, 5 and 7.

Lens case

- Best Buy will have drawings for this full insert
- Will utilize the Best Buy lens holder



Lens holder with ESL, if solidworks files are needed Best Buy can provide




C19 and 15K Vendor Guidelines

Focal frame – Lowbay gondola endcap

Guidelines:

- This layout is used when the focal frame is used as an endcap at the end of a lowbay gondola



C19 and 15K Vendor Guidelines


Focal frame – Full-sized graphic on back side

Guidelines:

- This option can be used when tables are only on one side of the focal frame.
- There are lit and non-lit versions of the full sized frame. Lit version is shown.
- Graphic guidelines are shown within this guideline deck.


COPYRIGHT © - SEE SHEET 1

ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	1013493	ASSY, 51" X 72" - FOCAL FRAMES	1
2	1011443	ASSEMBLY, PILLAR TV MOUNT, 67.375" - FOCAL FRAMES	1
3	1016425	ASSY, FULL LIGHT BOX, 43.46" X 62.87" - FOCAL FRAMES	1
4	1016946	PRODUCT TABLE TOP ASSY	1
5	1013107	ASSY, BACKLIGHT FRAME, FABRIC GRAPHIC KIT - FOCAL FRAME	1



NOTE:
LIGHT BOX IS SHOWN, CAN ALSO USE THE GRAPHIC PANEL OR MONITOR

NOTE:
FULL SIZE LIGHT BOX IS SHOWN, CAN ALSO USE THE FULL SIZE GRAPHIC PANEL



Note:
Product table shown as a reference as there are multiple table layout options. See product table guidelines for additional information.

SCALE: 1:24	DRAWING NO.:	REV.:	
SHEET: 8 of 8			

C19 and 15K Vendor Guidelines

Focal frame – Full-sized graphic on back

Guidelines:

- Two different graphic size options for the back side of the focal frame when there is no table on the back side






Half lightbox graphic



Full lightbox graphic

C19 and 15K Vendor Guidelines

Focal frame – Slatwall



- Slatwall
- Vendor's responsibility
 - BBY will have drawings for the slatwall
 - Slatwall to be white

C19 and 15K Vendor Guidelines


Focal frame

Guidelines:

- Focal frame is used to give brand presence to the tables
- There are different add-ons that can be added to the focals which are shown within this deck.
- Any items not meeting Best Buy specifications must be approved by Best Buy.

Add-on piece

- Vendor's responsibility
- Options are monitor, lit fabric graphic, slatwall
- See add on page within this deck




C19 and 15K Vendor Guidelines

Focal frame – Table layout


Guidelines:

- ESL price tags shown as reference, see ESL guidelines document for attachment options.



C19 and 15K Vendor Guidelines

Focal frame – Table layout



13. Small Appliance Endcaps


Fixture Overview

Small Appliance Endcaps are activated on various fixtures, each of which provides a consistent and visually appealing presentation of salable product.


- **Gondola-based**
 - 2' Endcap
 - 4' Endcap (14" base deck)
 - 4' Endcap (24" base deck)
 - Half Rack
- **Table-based**
 - Small Appliance
 - Product
 - Smash

If you encounter unique presentations not listed above, ask your Best Buy contact for details.


2' Endcap Gondola




4' Endcap Gondola (14" base deck)



4' Endcap Gondola (24" base deck)




Half Rack Gondola




Small Appliance Table



Product Table



Smash Table




Gondola-based Fixtures

Gondola-based: Power & Attachments


Vendor Expectations

- Securely anchor the display to either the shelf or slotted uprights. (See Best Buy's perforated shelves at right). See the Lowbay Gondola Endcap guidelines for information on Best Buy kit components.
- Remove any batteries from the product before displaying.
- Connect all power to a power strip that is directly connected to a power receptacle. Power strips cannot be daisy-chained.
- Secure demo product using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Neatly organize or hide additional power cords, plugs, etc. to avoid clutter and cord drape.

 **You will need** details and dimensions in these guides on Partner Portal:

[Lowbay Gondola Endcap](#)

[Technology Design Standards](#)



Gondola-based: Merchandising


Vendor Expectations

- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.


Note: Printed stand-ins of products are not permitted.

- Display all products and VPP components within the volumetric space permitted (shown at right). **Note:** Base decks in CAD titles are named 14" and 24" rather than their precise measurements shown.


2' Endcap Gondola




**4' Endcap Gondola
(14" base deck)**



**4' Endcap Gondola
(24" base deck)**



Half Rack Gondola




Note: Half Rack heights vary. Ask your Best Buy contact for details.

Gondola-based: Merchandising

Vendor Expectations

- Follow an A/B merchandising strategy with demo/display units on top and salable units below.
- Support all products—display or salable—with a proximally located electronic shelf label (ESL).
- Follow the Technology Design Standards for all buttons, interactive elements, and audio and video components.
- Ensure interactive elements and product demos follow ADA reach guidelines.
- Use permitted lighting only. Illumination from products or monitors is allowed. Backlighting, downlighting and under-cabinet lighting are not allowed.

Note: Consider creating your endcap with Small Appliance platform systems to allow for an easy transition to an inline presentation if needed. Ask your Best Buy contact for details.

 **You will need** details and dimensions in these guides on Partner Portal:

[Architecture Standards](#)

[ESL Guidelines](#)

[Technology Design Standards](#)



Gondola-based: Graphics

Vendor Expectations

- Create a graphics presentation that complies with all copy, design, size, substrate, etc. requirements.
- Display signage within the width, depth and height of the endcap fixture.
- Include your logo in the top 6” of your display.
- Keep copy a minimum of 20” above the ground.
- Include up to two external POP graphics on a single product VPP, ensuring POP graphics cover no more than 15% of the presentation.
- No stand-alone printed or mock food is permitted (i.e. filled coffee cups, sandwiches, etc).

Best Practices

- Prioritize the following graphics for your presentation:

Content: Lifestyle imagery of humans interacting with products.

Crop: Humans and products largely centered, with products clearly visible.

- Choose from the following alternate content options **only** if lifestyle imagery of humans and products isn't available or allowed:
 - Lifestyle imagery of products **without** humans.
 - Hero product imagery on a neutral color field.



You will need details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Small Appliance POP](#)

Table-based Fixtures

Table-based: Power & Attachments

Vendor Expectations

- Securely anchor the display to the table through the surface slot. *(The full panel lifts out for easier access).* See the Lowbay Gondola Endcap guidelines for information on Best Buy kit components.
- Remove any batteries from the product before displaying.
- Connect all power to a power strip that is directly connected to a power receptacle. Power strips cannot be daisy-chained.
- Secure demo product using approved tethers, recoilers, mechanical fasteners or security devices.
- Purchase electronic security devices from the approved vendors noted in the Technology Design Standards.
- Neatly organize or hide additional power cords, plugs, etc. to avoid clutter and cord drape.



You will need details and dimensions in these guides on Partner Portal:

[Lowbay Gondola Endcap](#)

[Technology Design Standards](#)







Table-based: Merchandising

Vendor Expectations

- The maximum available merchandisable space measures 44" W x 22.4" D.
- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.

Note: Printed stand-ins of products are not permitted.

- Display all products and VPP components within the volumetric space permitted (shown at right).
 - Vendor presentation must be flush with the top of the table, not overhanging the white border.
 - Product cannot obstruct the view of logo header.
 - Framing is not permitted on the fixture exterior.



Note: Sign holder frames might be available on select legacy Smash Tables, but vendors should plan for their removal. All graphic backers should be attached directly to product presentations.

Table-based: Merchandising

Vendor Expectations

- Ensure interactive elements and product demos follow ADA reach guidelines.
- Use permitted lighting only. Illumination from products or monitors is allowed. Backlighting, downlighting and under-cabinet lighting are not allowed.
- Support all products—display or salable—with a proximally located electronic shelf label (ESL).
- Receive design approval prior to prototyping your presentation. Ask your Best Buy contact for details.

Note: Consider creating your endcap with Small Appliance platform systems to allow for an easy transition to an inline presentation if needed. Ask your Best Buy contact for details.

 **You will need** details and dimensions in these guides on Partner Portal:

Architecture Standards

ESL Guidelines

Technology Design Standards




Table-based: Small Appliance & Product Table Graphics

Vendor Expectations

- Create a graphics presentation that complies with all copy, design, size, substrate, etc. requirements.

Note: Backer graphics are permitted but must be physically secured to your presentation. They cannot be secured to the table fixture.

- Include your logo in the top 6” of your display.
- Keep copy a minimum of 20” above the ground.
- Include up to two external POP graphics on a single product VPP, covering no more than 15% of the product.
- No stand-alone printed or mock food is permitted (i.e. filled coffee cups, sandwiches, etc).

Best Practices


- Prioritize the following graphics for your presentation:

Content: Lifestyle imagery of humans interacting with products.

Crop: Humans and products largely centered, with products clearly visible.

- Choose from these alternate options **only** if lifestyle imagery of humans/products isn't available or allowed:
 - Lifestyle imagery of products **without** humans.
 - Hero product imagery on a neutral color field.

Note: Sign holder frames might be available on select legacy Smash Tables, but vendors should plan for their removal. All graphic backers should be attached directly to product presentations.



! You will need details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

[Technology Design Standards](#)

Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

[Small Appliance POP](#)

[Technology Design Standards](#)

[Lowbay Gondola Endcap](#)

[Architecture Standards](#)

Additional useful guides:

[ESL Guidelines](#)

[Copy & Claims Guidelines](#)

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the CAD reference number for your fixture and specify Solidworks or STEP file type.

CAD Title	CAD Reference #
2' Endcap with 14" Base Deck	R0017
4' Endcap with 14" Base Deck	R0006
4' Endcap with 24" Base Deck	R0007
Half Rack	1012965
Product Table	1016946
Smash Table	1010154
Small Appliance Table	1016400

14. ESL Store Pricing

Overview of Electronic Sign Label (ESL)

The purpose of the **electronic shelf labels** is to better serve our customers and retail employees by driving value through technology and efficiency. The key benefits are:

- Accurate Pricing
- Margin Performance
- Task Efficiencies
- Supply Cost

Avoid using store-generated signs. Consistent messaging in all stores provides a consistent customer experience in every location.

White ESLs

- 1 Peg Label - **19620-01-ESL**
- 2 Fact Tag - **19760-31-ESL**
- 3 Mass Display Tag - **19821-01-ESL**

Black ESLs

- 4 Peg Label - **19620-31-ESL-B**
- 5 Fact Tag - **19761-31-ESL-B**
- 6 Mass Display Tag - **19822-31-ESL-B**

Core Accessories

- Fact Tag Protective Cover- **61512-00-ESL**
- Mass Display Tag Protective Cover- **61509-00-ESL**
- 7 ESL Removal Tool- **6150-00-TOOL**

1



White Peg Label - 19620-01-ESL

4



Black Peg Label - 19620-31-ESL-B

2



White Fact Tag - 19760-31-ESL

5



Black Fact Tag - 19761-31-ESL-B

3



White Mass Display Tag - 19821-01-ESL

6



Black Mass Display Tag - 19822-31-ESL-B

7



ESL Removal Tool
6150-00-TOOL

Fact Tag

1. 19760-01-ESL

White Fact Tag (HD150) 5.7" x 4.6

1. 19761-31-ESL-B

Black Fact Tag (HD150) 5.7" x 4.6

Used for standard fact tag sign rails, tabletop displays, HEET wall, Appliances, and Magnolia fact tags.

2. 20-01-1010174

ESL Holder-Tent Pack Only-5/Box

Glue dots can be used to secure holder tents.

3. 20-01-1010373

ESL Holder Merch Bar Adapter Clip-5/Box

Used where pricing is next to merchandising on tie bar.

4. 20-01-1010370

ESL Injection Molded Fact Tag Holder, 10/Box

Attached directly to peg hooks or any adapter to allow for tag to not interfere with certain adapters and merchandising.

5. 20-01-1010378

ESL Injection Molded Appliance Fact Tag Holder, 10/Box

Use 4 suction cups (20-01-1010380) for front loading appliances and tape for non-flat surfaces.

6. 20-01-1010377




ESL Extruded Freestanding Adapter, 10/Box

Use with universal peg holder (20-01-1010371) and thin rail clip adapter (20-01-1010461) in video games.

7. 20-01-1010375

ESL 120 Degree Shelf Adapter 25/Box

Use on shelf without shelf liner, sign rail clip snaps with perfed shelves and tape for shelf liner spaces.



Fact Tag

1. 20-01-1010376

ESL 90 Degree Shelf Adapter, 25/ Box

Use sign rail snap clips to secure shelves with perforation, or 4 glue dots or tape for surfaces that don't have the perfs.

2. 20-01-1010461

ESL Thin Rail Adapter Clip, 25/ Box

Use on fixtures with existing fold overs, TV hanging mount, and shelf liners with perforations.

3. 20-01-1010374

ESL Thick Rail Adapter Clip, 25/ Box

Use on fixtures with existing fold overs including platforms and hook onto holder, DVD media wire baskets without fold overs.

4. 20-01-1010468

ESL Glue Dots- Semi Permanent, 600 Dots per roll

Use on freestanding mass display holder, freestanding holders in appliances (min of 4), 120 shelf adapter on base decks with no perf pattern.

1. 34-4658-75x75

Tape-ESL-Appliance Replacement, Roll of 1200

Use on appliances holders, 90- and 120-degree shelf adapters when using shelf liners.

6. 20-01-1010380

ESL-Push Fit Suction Cups, 40/Box

Use on front loading appliances only, use 4 suction cups and part 20-01-1010378.

7. 19-00-00

Sign Rail Snap Clips, 250/bag


On perf shelves with sign rails use one in every perforation for stability.

8. 1941-2025808

Glue dot applicator gun-Dot shot pro

Use for easy application of glue dots on fixture holders.






5K ESL Intent

Peg Label ESL Overview

Notes:

- Peg label ESL will be used for the majority of the 5K store
- Categories that will use this include:
 - Headphones
 - Wearables
 - Health/Recovery
 - Mobile
 - Smart Home
 - Digital Imaging
 - Small Appliances
 - Floorcare
 - Soundbars/Audio
 - Portable Speakers
 - Streaming
 - All category accessories/grab and go
 - SPU Bins



5K ESL Intent

Fact Tag ESL Overview

Notes:


- Fact tag size ESLs will be used sparingly in the 5K store
- Categories that will use a fact tag ESL include:
 - Computing display/demo
 - PC Gaming display/demo
 - TV display/demo
 - Gaming display/demo

15. Connected Home

Universal inline Guidelines

CONNECTED HOME GUIDELINES

- USE THE 1" THICK PLATFORMS





Universal inline Guidelines


Door Locks Guidelines:

- Lock display must manually swivel/spin to show the two sided display
- Lock display must attach to platform using a bolt or screw
- Lock display cannot spin/swivel past 180 degrees
- Swivel for the locks need to be attached to their product before shipping to awarded vendor
- Lock display must be self righting; first position should be front of lock directly facing customer as shown in render
- Height of lock display, including product, is 9". If this needs to be taller due to product than that will have to be approved by Best Buy
- Diameter of lock display, including product, is 5.125"
- Additional risers on platform are not allowed unless used for the swivel/spinning function

Note:
See ESL guidelines, provided by Best Buy, for ESL placement and what is used to attach the ESL price tags



Note:
Wood finish will be Omnova Saarinen
Driftwood unless specified otherwise



Lock Block

- Finish is laminate Nevamar Dry Creek Plum Tree



Turntable platform

- Size is 3/4" thick with a diameter of 5.125"
- Top edge radius is 1/8"
- Finish is Omnova Designer White


Color swatch

- Material is powdercoated white metal, no sharp edges
- Diameter of color swatch is .5"



Turntable

- McMaster-Carr #6031K16
- Turntable does not come with a stopper so one must be fabricated







Universal inline Guidelines

Note:
See ESL guidelines, provided by Best Buy, for ESL placement and what is used to attach the ESL price tags

Angled Product Mount Guidelines:

- Product mounts using a bolt or screw to a 60 degree wedge that is than attached to the platform using either a bolt or screw
- Mounting piece must be hidden behind the product
- Mounting piece must be metal powdercoated TCI Signal White or equivalent
- Height of product display, including product, is 9"
- Additional risers on platform is not allowed
- Thermostats can be powered but must ship in with cords




Vertical Product Mount Guidelines:

- Product mounts using a bolt or screw to a 90 degree bent metal piece that is than attached to the platform using either a bolt or screw
- Mounting piece must be hidden behind the product
- Mounting piece must be metal powdercoated TCI Singnal White or equivalent
- Height of product display, including product, is 9"
- Additional risers on platform is not allowed

Note:
Wood finish will be Omnova Saarinen Driftwood unless specified otherwise


Universal inline Guidelines

Note:
See ESL guidelines, provided by Best Buy, for ESL placement and what is used to attach the ESL price tags



Camera Direct Mount Guidelines:

- Product mounts directly to the top of the platform using a bolt or screw
- Max height of product display, including product, is 9"
- If product has lens it should be mounted in that the lens faces the customer
- Additional risers on platform are not allowed



Lightbulb Mounting Guidelines:

- Light bulbs to be secured into socket post and must have a locking mechanism
- A circular socket post is preferred but a square post is allowed for functionality reasons
- Socket posts may vary in size based off light bulb size and space needed for security/power purposes only. Additional rise in post for aesthetic purposes is not allowed
- Light bulb must sit upright, as shown in renders
- Post must be attached to platform using bolt or screw
- Height of product display, Including product, is 9"
- Lighting effects may be allowed but are subject to Best Buy approval
- Lightbulbs **must be enclosed** with an acrylic cover, cover must also have efficient venting to keep the bulb from getting hot
- Cover must be mechanically fastened to platform

Note:
Wood finish will be Omnova Saarinen
Driftwood unless specified otherwise

16. Headphones

Fixture Overview

The Display-Centric Base Case is a fixture system where all Headphones VPPs will be activated. It physically displays shrink-sensitive salable product beneath demos and displays on lowbay gondolas.


The display-centric fixture exists on both **standard** and **skinny** lowbay gondolas. Its design includes:

- Flexible components that fit both gondola types.
- Attachment channels and A/V pass-throughs that allow products to secure directly to the top of the fixture.
- Enhanced security and shrink-minimizing features.
- Channels in the locking case to hold a graphic insert. This graphic visually obscures the case when there is:
 - No salable stock present.
 - An elevated shrink risk.
 - A desire for a greater graphic presence.


The Display-Centric Base Case can be merchandised side-by-side with older locking case designs.

**Drawings and models of all parts available upon request.*

Display-Centric Base Case
on Standard Lowbay Gondola



Display-Centric Base Case
on Skinny Lowbay Gondola




Note: Each gondola type is shown with and without graphic inserts activated.


VPP Overview

Vendor Expectations

- Display all display products, graphics and VPP components within the volumetric space permitted for each gondola type:
 - Standard lowbay gondola — 47.938” W x 27.5” H x 21.875 D
 - Skinny lowbay gondola — 47.938” W x 27.5” H x 11.875 D
- Create your presentation in 47.938 inch-wide segments, even if a presentation bleeds across multiple fixtures.
- Follow Best Buy’s power and electrical, technology, merchandising and graphics standards detailed in the following pages.



Standard Lowbay Gondola Dimensions



Skinny Lowbay Gondola Dimensions




Power and Attachments

Vendor Expectations

- Route power off the rear of the shelf, through the backer and into the base deck, where power access is provided.
If you prefer to provide your own power strip, it must be UL listed and approved by Best Buy's Technology Design Lab. Contact the Lab for power access help.
- Use power cords that are at least 12' long to adequately reach the power strip.
- Label and color-code electronics. Ensure they can be accessed without the use of tools for easy replacement.
- Displays must be physically tethered to the shelf.
Preferred method: Attach display to shelf's perforated pattern using threaded studs with washers and wingnuts.
- See drawings for detailed information on each gondola shelf's dimensions and unique perforated pattern.



Standard Gondola Shelves

BEST BUY SHELF DETAILS			MERCHANDISING AREA	
SHELF COMMON NAME	EPDM NUMBERS	FINISH	W (INCHES)	D (INCHES)
10.5" X 48"	1016891	BLACK	47.7	10.4
10.5" X 24"	1017727	BLACK	23.7	10.4
12" X 48"	1014797	BLACK	47.7	11.9
	1016889	WHITE		
12" X 24"	1017788	BLACK	23.7	11.9
	1022211	WHITE		
14" X 48"	1012248	BLACK	47.7	13.7
	1021561	WHITE		
	1008678	SILVER		
14" X 24"	1012247	BLACK	23.7	13.7
	1008677	SILVER		
18" X 48"	1012249	BLACK	47.7	17.7
	1021562	WHITE		
	1008683	SILVER		
18" X 24"	1012250	BLACK	23.7	17.7
	1008687	SILVER		
22" X 48"	1012251	BLACK	47.7	21.7
	1008693	SILVER		
22" X 24"	1012252	BLACK	23.7	21.7
	1008695	SILVER		



Power and Attachments

22" Deep Display-Centric Basecase Shelf



Integrated Technology

Best Buy's Technology Design Lab must approve any working electrical components, including illuminated logos, media players, etc.


- **Illumination**

Lighting is only permitted in the form of illuminated logos or digital media screens. Illumination must meet the luminosity requirements specified in the Technology Design Standards.

- **Buttons**

Interactive buttons are permitted. They must be:

- Duco DTPB-X-32 (the only approved button)
- Surrounded by a white light-up ring
- Shown with text that clearly defines the button action. Text must be:
 - Black, size 14, Human BBY Medium
 - Located below the button
 - Printed on the substrate (no decals)

 **You will need** details in this guide on Partner Portal:


[Technology Design Standards](#)

Illumination

Lighting is only permitted in the form of illuminated logos or digital media screens.

Buttons

Buttons must follow Technology Design Lab standards



Graphics

Vendor Expectations

- Provide graphics for your presentation, complying with all copy, design, size, substrate, etc. requirements.
- Include your logo within the top 6” of your display.
- Include in your collateral a directive for product fulfillment.

Examples:

Scan price tag QR codes to:

- Get product info
- Check availability
- Get expert help
- Send to Order Pickup

Scan price tag QR codes to send to Order Pickup.



You will need details in this guide on Partner Portal:

[Copy & Claims Guidelines](#)

Graphics

Vendor Expectations

- Include in your collateral a graphic insert that can be activated in front of the locking case.

Graphic Insert

Size: 47.98" W x 23.75" H

(Note: Vendors may bleed a single image across multiple insert segments if they are managed/operated by a single party.)

Substrate: .1875 Ultraboard, white

Content: Lifestyle imagery of humans interacting with products.

Crop: Humans and products largely centered, with products clearly visible.

- Choose from the following alternate content options **only** if lifestyle imagery of humans and products isn't available or allowed:
 - Lifestyle imagery of products **without** humans.
 - Hero product imagery on a neutral color field.


Priority:

Lifestyle imagery of humans interacting with products.



Alternate 1:

Lifestyle imagery of products without humans.



Alternate 2:

Hero product imagery on a neutral color field.




Merchandising Expectations


Vendor Expectations

- Display products and signage within the volumetric space permitted for each gondola type (shown at right).
- Design your display components with modularity in mind to ensure easy replacement when products change.
- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.

Note: Printed representational stand-ins of products are not permitted.



Standard Lowbay Gondola Dimensions



Skinny Lowbay Gondola Dimensions


Merchandising Best Practices

Consider these best practices when designing your display:


- Practice waterfall merchandising, with non-interactive display products merchandised above demo units.
- Let your product be the hero of the presentation and don't crowd with graphics or copy.
- Use negative space to draw customer attention to the products on display.

Best Buy's wedge component (highlighted at right) offers an accommodating base for your presentation. Its flexible design fits both standard and skinny gondolas.


If you're interested in incorporating the wedge into your display, ask your Best Buy contact for a list of preferred vendors who can manufacture the part.



Standard Lowbay Gondola Application



Skinny Lowbay Gondola Application



Display

Non-interactive product included to showcase materiality, form factor, colorways and sizing.

Demo

Display products out of the box and powered to allow customer interaction.

Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

[Technology Design Standards](#)

[ESL Pricing](#)

Additional useful guides:

[Copy & Claims Guidelines](#)

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type.
- A list of preferred vendors who can manufacture the fixture parts.

17. Floor Care and Robotic Vacuums

Overview


- Shelves must be set at 40” to ensure appropriate space for box stock below.
- Sign rail will be removed to allow customers to access tall box stock.
- Peg label ESLs will be used for pricing.
- Backer will include a black bar with white vendor logo centered within a 4’ run. The first 1-foot section of the backer is available for vendor branding.
- If needed, Best Buy or vendor can provide a universal tie bar to support any products that don’t stand upright on their own. Best Buy tie bar obscures brand logo header on low bay header. It’s preferred that vendor provides their own product stand where needed rather than using a Best Buy part.

Example of 16’ run:



Attachments



- Floor care presentations are only displayed on 22” shelves. See details at right.
- Product must be physically tethered to the shelf. **Preferred method:** Attach product to a vendor-created metal plate (14-gauge). Attach plate to shelf’s perforated pattern using threaded studs with washers and wingnuts.
- Product must appear below the top lip of the secured product card fixture (see pg. 5) as an additional means of ensuring presentation stability.



Product Card

Format: Print
Size: 7”W x 4”H
Substrate: 12pt C1S, White


Examples:



Template_FloorCare_Product_Card_7x4.indd
 Product card

Product Card Fixture

The 7x4 product card metal holder must be produced by the vendor following the Best Buy-provided drawing. It must be attached to the shelf in front of the product.



filename: Floor Care Product Card Holder.sldrw

Highbay Backer

Format: Print

Size: 47.875"W x 46.5"H

Substrate: 3mm Sintra, White

Finishing: Diecut. Bag PETG Hooks to be shipped with sign and attached in store.


Recommendations: Clips

Clip parts: 2 left hooks (Part #17-04-0017243)


2 right hooks (Part #17-04-0017242)

- First 1 foot is available for vendor branding.
- Do not extend content past the graphic area shown in magenta.
- Do not include photography with people or environments.

Example:



Template_Floorcare_Backer_47.875x46.5.indd
High Bay - Front




Template_Floorcare_Backer_47.875x46.5.indd:2
High Bay Front - Back

Lowbay Backer

Format: Print
Size: 47.875”W x 26”H
Substrate: 3mm Sintra, White
Finishing: Diecut. Bag PETG Hooks to be shipped with sign and attached in store.
Recommendations: Clips
Clip parts: 2 left hooks (Part #17-04-0017243)
2 right hooks (Part #17-04-0017242)

- First 1 foot is available for vendor branding.
- Do not extend content past the graphic area shown in magenta.
- Do not include photography with people or environments.

Example:



Floorcare_backer_47.875x26.indd
Lowbay — Front



Template_Floorcare_backer_47.875x26.indd:2
Lowbay — Back

POP Guidelines

Include up to two feature benefit statements per unit, adhering to all copy guidelines. Statement(s) must be applied directly to the product and not exceed the product footprint.

Copy Guidelines

- Copy must be clear, concise and easy to understand.
- Direct comparisons with competitors are prohibited.
- Superlative claims and puffery are prohibited (i.e. the coolest, the most award-winning).
- No alternative options for purchasing the product may be mentioned; only BestBuy.com marketing URLs or Best Buy toll-free phone numbers may be displayed.
- Logo must not be used to replace words in sentences.
- Sentence case must be used in sentences. Title case must be used in titles and headers. **Exception:** Logos and registered taglines may maintain their respective copy style.
- No exclamation points may be used.
- All bullet points must end with punctuation unless they are simple, itemized lists.
- When referring to a Best Buy sales associate, the term “Blue Shirt” must be used.
- Footnote scheme is superscript numbers. In the case that there is only one footnote within a document, an asterisk may be used.
- Legal indemnification must be on file with Best Buy’s legal department for the use of any recognizable entity (i.e. images of celebrities, endorsements by trade publications, etc...).
- Best Buy’s legal department must approve all copy according to the same rules that govern Best Buy’s own customer-facing communications.



POP Placement

Up to two POP stickers allowed per product.
Traditional fins/blades are not permitted.


Robotic vacuums

Guidelines



Robotic vacuums

Guidelines




Robotic vacuums

Guidelines


Vendor / Brand to create a base for their vacuum

- Finish to be black
- Mounted to the vacuum so vacuum cannot be removed from the stand
- Stand must have holes that align with the holes in the platform and to secure using (2) #10-24 x 5/8" machine screws black




Robotic vacuums

Guidelines



2" vendor/product detail

5.75" Image & feature copy space.
Max 4 images per-product card.



Space for product information, follow graphic guidelines shown

All product displayed must have pricing, reference ESL Guidelines for pricing standards

Robotic vacuums Guidelines

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	FRAME, ROBOTIC VACUUM DISPLAY - 0.75 INCH	FRAME, ROBOTIC VACUUM DISPLAY - 0.75 INCH
2	1	INSERT, ROBOTIC VACUUM DISPLAY - 0.75 INCH	INSERT, ROBOTIC VACUUM DISPLAY - 0.75 INCH
3	4	1008497	SCREW, #8 X .75" LG, FLAT HEAD, WOOD
4	1	GRAPHIC HOLDER, 3.75 X 14.75 - ROBOTIC VACUUM DISPLAY	GRAPHIC HOLDER, 3.75" X 14.75" - ROBOTIC VACUUM DISPLAY
5	2	INSERT, #10-24 X 0.516" LG, FOR WOOD	INSERT, #10-24 X 0.516" LG, FOR WOOD

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	00-00-00	TTB

INSTALL INSERTS FLUSH WITH LAMINATE SURFACE

CENTER INSERT BEFORE INSTALLING WOOD SCREWS

ATTACH BOTTOM OF GRAPHIC HOLDER FLUSH WITH BOTTOM OF INSERT


	Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423	TITLE: PLATFORM, ROBOTIC VACUUM DISPLAY - 0.75 INCH	
OPERATION PLACES IN DIMENSION		MATERIAL: SEE DETAIL DRAWINGS	
FINISH: SEE DETAIL DRAWINGS		DRAWN BY: DATE: SCALE: 1:4 DRAWING NO.: REV.: THIRD ANGLE PROJECTION IN [mm]	
CHECK BY: DATE: SHEET: 1 of 1		MACHINING METAL 0.0 0.00 0.000 LASER / TURRET ±0.030 ±0.010 ±0.005 SHEET METAL FORMING ±0.060 ±0.030 ±0.015 WELDING METAL ±0.100 ±0.040 ±0.020 MACHINING PLASTIC ±0.125 ±0.060 ±0.030 FORMING PLASTIC ±0.100 ±0.030 ±0.010 WOOD ±0.125 ±0.040 ±0.020 EXTRUSION ±0.040 ±0.020 ±0.010 ANGULAR 1°	FINISH: SEE DETAIL DRAWINGS
COPYRIGHT © 2016 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC..			

Store Design




Robotic vacuums

Guidelines




Robotic vacuums

Guidelines



filename: FRAME, ROBOTIC VACUUM DISPLAY - BASE 0.75 INCH.slddrw

Robotic vacuums Guidelines




filename: FRAME, ROBOTIC VACUUM DISPLAY - SIDE 0.75 INCH.slddrw

Store Design



Robotic vacuums

Guidelines




filename: INSERT, ROBOTIC VACUUM DISPLAY - 0.75 INCH.sldraw


Store Design

Robotic vacuums

Guidelines



Robotic vacuums Guidelines



Store Design



Robotic vacuums

Guidelines

ITEM	QTY	PART NUMBER	DESCRIPTION
1	1	FRAME, EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH	FRAME, EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH
2	1	INSERT, EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH	INSERT, ROBOTIC VACUUM DISPLAY
3	2	1008497	SCREW, #8 X .75" LG, FLAT HEAD, WOOD

ZONE		REV.	DESCRIPTION	DATE	APPROVED
	A		INITIAL RELEASE	00-00-00	TTB

BEST BUY	Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423			TITLE: EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH	
	OPERATION			PLACES IN DIMENSION	
MACHINING METAL			0.0	0.00	0.000
LASER / TURRET			+0.030	+0.010	+0.005
SHEET METAL FORMING			+0.060	+0.030	+0.015
WELDING METAL			+0.100	+0.040	+0.020
MACHINING PLASTIC			+0.125	+0.060	+0.030
FORMING PLASTIC			+0.100	+0.030	+0.010
WOOD			+0.125	+0.060	+0.020
EXTRUSION			+0.125	+0.040	+0.020
ANGULAR			+0.040	+0.020	+0.010

MATERIAL: SEE DETAIL DRAWINGS		FINISH: SEE DETAIL DRAWINGS	
DRAWN BY:	DATE:	SCALE:	DRAWING NO.:
CHECK BY:	DATE:	SHEET:	REV.:
XXX	XX-XX-XX	1 of 1	

THIRD ANGLE PROJECTION IN [mm]


COPYRIGHT © 2016 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC..

filename: EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH.slddrw

Store Design

Robotic vacuums

Guidelines




filename: FRAME, EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH FORMED.slddrw

Store Design


Robotic vacuums

Guidelines




Robotic vacuums

Guidelines




filename: INSERT, EXTENSION, ROBOTIC VACUUM DISPLAY - 0.75 INCH.slddrw

 Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423	TITLE: INSERT, ROBOTIC VACUUM DISPLAY																																												
	MATERIAL: PARTICLE BOARD																																												
FINISH: OMNOVA THERMOFOIL FILM - BLANCA ELME - (0.012)																																													
<table border="1"> <thead> <tr> <th rowspan="2">OPERATION</th> <th colspan="3">PLACES IN DIMENSION</th> </tr> <tr> <th>0.0</th> <th>0.00</th> <th>0.000</th> </tr> </thead> <tbody> <tr> <td>MACHINING METAL</td> <td>+0.030</td> <td>+0.010</td> <td>+0.005</td> </tr> <tr> <td>LASER / TURRET</td> <td>+0.060</td> <td>+0.030</td> <td>+0.015</td> </tr> <tr> <td>SHEET METAL FORMING</td> <td>+0.100</td> <td>+0.040</td> <td>+0.020</td> </tr> <tr> <td>WELDING METAL</td> <td>+0.125</td> <td>+0.060</td> <td>+0.030</td> </tr> <tr> <td>MACHINING PLASTIC</td> <td>+0.100</td> <td>+0.030</td> <td>+0.010</td> </tr> <tr> <td>FORMING PLASTIC</td> <td>+0.125</td> <td>+0.060</td> <td>+0.020</td> </tr> <tr> <td>WOOD</td> <td>+0.125</td> <td>+0.040</td> <td>+0.020</td> </tr> <tr> <td>EXTRUSION</td> <td>+0.040</td> <td>+0.020</td> <td>+0.010</td> </tr> <tr> <td>ANGULAR</td> <td colspan="3">1°</td> </tr> </tbody> </table>	OPERATION	PLACES IN DIMENSION			0.0	0.00	0.000	MACHINING METAL	+0.030	+0.010	+0.005	LASER / TURRET	+0.060	+0.030	+0.015	SHEET METAL FORMING	+0.100	+0.040	+0.020	WELDING METAL	+0.125	+0.060	+0.030	MACHINING PLASTIC	+0.100	+0.030	+0.010	FORMING PLASTIC	+0.125	+0.060	+0.020	WOOD	+0.125	+0.040	+0.020	EXTRUSION	+0.040	+0.020	+0.010	ANGULAR	1°			DRAWN BY: _____ DATE: _____ SCALE: 1:2.75 CHECK BY: XXX DATE: XX-XX-XX SHEET: 1 of 1	DRAWING NO.: _____ REV.: _____ THIRD ANGLE PROJECTION IN (mm)
OPERATION		PLACES IN DIMENSION																																											
	0.0	0.00	0.000																																										
MACHINING METAL	+0.030	+0.010	+0.005																																										
LASER / TURRET	+0.060	+0.030	+0.015																																										
SHEET METAL FORMING	+0.100	+0.040	+0.020																																										
WELDING METAL	+0.125	+0.060	+0.030																																										
MACHINING PLASTIC	+0.100	+0.030	+0.010																																										
FORMING PLASTIC	+0.125	+0.060	+0.020																																										
WOOD	+0.125	+0.040	+0.020																																										
EXTRUSION	+0.040	+0.020	+0.010																																										
ANGULAR	1°																																												
<small>COPYRIGHT © 2016 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC.</small>																																													

Store Design

18. Fit Cubby

Fit Space Design Intent



Biophilic Design:

- Activate biophilic design cues to suggest health and well-being.
- Celebrate natural textures and showcase greenery and craftsmanship.

Differentiation:

- This unique space purposefully visually disrupts from the core Best Buy store environment.
- Premium materials channel a prestige assortment message to customers.
- Fixtures within the space have a unique merch strategy POV and will differ from other product tables and gondolas.

Domestic Storytelling

- The textures and merchandising should project a domestic/lifestyle look and feel.
- This space offers a moment of tranquility in the busy store environment.

Cubby Merch Expectations



Maximized exposure
of wood texture


Contained products

Fitness-based assortment

- Products placed on the cubbies should always directly connect to the fitness/wellness theme of the space.
- Products should be safely and securely merchandised on the cubbies. This may necessitate: containment, tethers, posts and platforms.
- The wood sides and tops of the cubby fixtures should be minimally covered, allowing their premium materials to shine through.



VPP Guidelines

11" Max height for presentation materials




- The top of the cubby fixture can be divided into two 17.5" linear presentations or a single 39" presentation.
- The primary function of VPP materials should be functional: securing, elevating and containing product.
- Product platforms should match the Saarinen Driftwood cubby material.
- Posts and hardware should be white (black is also optional, but requires individual approval).
- Containment and risers should be white (black is also optional, but requires individual approval).
- Product, platforms, containment and risers should have a maximum height of 11".
- One angled 5.5"x11" single-sided graphic is allowed per presentation.
- To ensure the premium look and feel of the space, no large headers or backer cards or dividers will be allowed.

Presentation Alternatives



- Boxed display products or salable stock can also be leveraged as a secondary option for the top of the cubbies.
- Premium bins, trays, or product risers can increase visual interest and encourage engagement with display boxed stock.
- Product platforms should match the Saarinen Driftwood cubby material.
- Posts and hardware should be white (black is also optional, but requires individual approval).
- Containment and risers should be Saarinen Driftwood or white (black is also optional, but requires individual approval).
- Displays, platforms, containment and risers should have a maximum height of 11”.


Graphic Holder



- Reference EPDM# 1021705 for build reference.
- Holder will cover a portion of the bottom of the graphic.
- Standard graphic size 5.5"W x 11"W. This graphic size should be used whenever partnered with a product display.
- Larger 8.5"W x 11H graphic can be used only when no product display is possible. These larger graphics should always appear on their own without any display accompaniment.
- Holder will be metal finished in Fine White Texture Tiger Drylac Powdercoat.

Graphic Templates

5.5" x 11" Template



Vendor headline
4-lines,
50-character
maximum

- Product/Brand benefit #1, 1-sentence, 100-character maximum
- Product/Brand benefit #2, 1-sentence, 100-character maximum
- Product/Brand benefit #3, 1-sentence, 100-character maximum

Vendor lifestyle image here.

Extends under the white semitransparent type area to left edge of card.


important content should fall within this magenta area.

Vendor provides one lifestyle photo, adhering to provided size and resolution specifications.


Photo should be simple, not highly stylized or posed.

It should employ natural lighting and color.

Limit the number of people to a maximum of one.



8.5"x 11" Template



Vendor headline
4-lines,
50-character
maximum

- Product/Brand benefit #1, 1-sentence, 100-character maximum
- Product/Brand benefit #2, 1-sentence, 100-character maximum
- Product/Brand benefit #3, 1-sentence, 100-character maximum

Vendor lifestyle image here.

Extends under the white semitransparent type area to left edge of card.


important content should fall within this magenta area.

Vendor provides one lifestyle photo, adhering to provided size and resolution specifications.

Photo should be simple, not highly stylized or posed.

It should employ natural lighting and color.

Limit the number of people to a maximum of one.



The vendor provides all content, adhering to the Best Buy Vendor Guidelines:

Vendor follows the provided template's exact dimensions, type sizes, type styles and character counts.

Vendor may include up to 3 bullet points.

Please note: Per Best Buy copy standards, **single-sentence bullet points should not include a period at the ends of sentences.**

Copy lays on top of white area. White area has transparency set at 75%.

- The 5.5”W x11”H graphic should showcase the brand and should provide storytelling for the adjacent products.
- Larger 8.5”W x 11H graphic can be used only when no product display is possible. These larger graphics should always appear on their own without any display accompaniment.
- 3mm Sintra should be used as the print substrate.


Populated Examples

5.5"x 11" Populated example




Push your limits with your own body weight.

- Suspension trainers are an all-in-one fitness solution that provide a full gym experience
- Suitable for all fitness levels, these ultra-portable trainers can be easily set up indoors or out
- Use the TRX Training Club app with your suspension trainer for on-demand workouts



Scan the product price tag to check availability, send to Store Pickup or order for delivery.




8.5"x 11" Populated example




Push your limits with your own body weight.

- Suspension trainers are an all-in-one fitness solution that provide a full gym experience
- Suitable for all fitness levels, these ultra-portable trainers can be easily set up indoors or out
- Use the TRX Training Club app with your suspension trainer for on-demand workouts



Scan the product price tag to check availability, send to Store Pickup or order for delivery.



- The 5.5”W x11”H graphic should showcase the brand and should provide storytelling for the adjacent products.
- Larger 8.5”W x 11H graphic can be used only when no product display is possible. These larger graphics should always appear on their own without any display accompaniment.
- 3mm Sintra should be used as the print substrate.


Technical Drawings

Graphic Space
6"W X 19"D



Single Brand Story (One Vendor)

Graphic Space
6"W X 19"D



Split Brand Story (Two Vendors)

See EPDM# 1020121 for fixture details. Fixture drawings and detailed dimensions are available upon request from BBY Engineering team.


Engineering@bestbuy.com

19. Range Endcap

Program Overview

Design Intent



- The Range Endcap is intended to create consistent and cost-effective presentation opportunities for vendors
- Best Buy owns and maintains the core fixture components
- Vendors own the Vendor Logo Header Shell, display product, Top Graphic Panel and Bottom Graphic Panel



Fixture Details: Vendor Logo Header

Vendor Responsibility

- Vendors are required to produce a Logo Header Shell that attaches to the Best Buy-produced header light box
- Brand logo or logotype should be a white light, white optics 009 matte finish
- Header plate should be an Alpolic PE BLX Black finish
- Header Shell dimensions 60.763" W x 6" H, see drawing for width dimensional callouts
- Must follow logo sizing template
- Part number 1023628




Product Display Options:



Centered Display



Left-Justified Display



Merchandising Expectations: Display Options

Placement of Displays

- Single display products must be centered or left-justified within the fixture
- To minimize protrusion, display units must be seated against the back of the fixture

Placement of Graphics

- Top and Bottom Panel Graphics must be installed behind the display product(s)
- No external fixture POP graphics are allowed
- Up to two POP graphics can appear on the interior of each appliance

Product Pricing

- Fact Tag ESLs must be attached to each display unit
- They should always appear on the top left of the door

Merchandising Expectations: Temporary Bundle Offer Placement

Placement of Graphic Storytelling

- Temporary bundle offer signage must sit on the left side of the top surface of the range
- Design must be approved by Store Experience Team through our standard VPP process
- Standard acrylic 8.5x11 sign holder will be used to house the collateral
- Sign holder should be secured with removable double stick tape, to ensure it stays in place and maintains an organized appearance




Graphic Expectations: Graphic Panels

Top Graphic Panel

- Dimension: 60.75" x 39.375"
- Substrate: 20mil Magnetic Vinyl, White
- Imagery: vendors' graphic storytelling, lifestyle imagery

Bottom Graphic Panel

- Dimension: 60.75" x 29.875"
- Substrate: 20mil Magnetic Vinyl, White
- Imagery: Vendors are responsible for creating a gradient using their brand colors
- Gradient must be vertical going from dark to light
- The gradient should compliment the color palette of the Top Graphic Panel



20. Side Stock Endcap

Fixture Overview

The **Side Stock Endcaps** are 2ft and 4ft fixtures that create a consistent, display-centric presentation that visually minimizes salable product stock.



Unlike other Best Buy endcaps, tight guidelines are in place for Side Stock Endcaps. The outcome is a more flexible, transactional fixture that allows cost effective design solutions and easy installation and removal.

Best Buy Managed

- Core fixture elements
- Pricing ESLs

Vendor Managed

- Any product featured as display or demo on the top wood surface
- Platforms, security, data and power attachments needed for display or demo products on top wood surface
- Magnetic graphics for top and bottom panels
- Printed logo Header





4ft Side Stock Endcap


2ft Side Stock Endcap

Overall Dimensions

*Dimensions are for reference only.
Best Buy drawings and models are available upon request.




Vendor Managed Graphics




Dieline_2ft_Header_27x5.9



Dieline_2ft_TopBacker_25.125x21



Dieline_2ft_BaseFront_25.125x25.625



Dieline_4ft_Header_47x5.9



Dieline_4ft_TopBacker_45.250x21



Dieline_4ft_BaseFront_45.250x25.625

2ft Side Stock Endcap:

Dieline name: "Dieline_2ft_Header_27x5.9"

Size: 27 (w) x 5.9 (h)

Substrate: .1875 Ultraboard, Black/Black/Black

Dieline name: "Dieline_2ft_TopBacker_25.125x21"

Size: 25.125 (w) x 21 (h)

Substrate: 20mil Magnetic Vinyl, White

Dieline name: "Dieline_2ft_BaseFront_25.125x25.625"

Size: 25.125 (w) x 25.625 (h)

Substrate: 20mil Magnetic Vinyl, White

4ft Side Stock Endcap:

Dieline name: "Dieline_4ft_Header_47x5.9"

Size: 47 (w) x 5.9 (h)

Substrate: .1875 Ultraboard, Black/Black/Black

Dieline name: "Dieline_4ft_TopBacker_45.250x21"

Size: 45.250 (w) x 21 (h)

Substrate: 20mil Magnetic Vinyl, White


Dieline name: "Dieline_4ft_BaseFront_45.250x25.625"

Size: 45.25 (w) x 25.625 (h)



Substrate: 20mil Magnetic Vinyl, White

Dieline images are for visual reference only

4ft Endcap Detailed Dimensions




2ft Endcap Detailed Dimensions



Presentation Expectations

Parts list:

1. Header
2. Top Magnetic Panel
3. Top Wood Surface
4. ESL Channel
5. Bottom Magnetic Panel
6. Salable Merchandising Area




Expectations

- Display/demo products on top wood surface need to be secured leveraging platforms, cables or mounts. See following pages for details.
- Products may not extend above logo header panel or beyond the sides of the fixture
- Logo on header should not be visually obstructed by products
- Graphics on the magnetic panels should be visually uncluttered and not distract from the products on display. Ex. Simple lifestyle photography, macro product photography or minimal graphic textures or patterns.
- Copy and logos are not permitted on the bottom magnetic panel
- Additional graphics and educational touchpoints can be added, but not cover more than 25% of the top wood surface
- Every display or salable SKU needs a Peg Label or Fact Tag ESL. Plan for their inclusion when merchandising fixture.

Best Practices

- The Side Stock Endcaps are intended for a concise product display providing “at a glance” engagement and understanding
- Curate the total number of displayed SKUs and storytelling touchpoints
- Keep product education simple and brief

Security, Attachments and Power



***Power strip is provided in both endcaps**

- Security cables and product platforms can attach to the fixture and be snaked through cutout on the back of the top wood surface.
- The provided top wood surface should be leveraged as the main display backdrop for product presentations. It can be covered by a vendor-supplied surface as a less-preferred alternative.
- **If top wood surface is damaged or altered in any way, vendors are responsible for replacing it upon vacating space.**
- Front panels are removable to provide easy access to fixture interiors.
- Power can be accessed through mouse holes in the back and bottom of the fixture.

Security, Attachments and Power




Center slot for mounting larger/heavier displays

Smaller fixtures can utilize any or all three slots

The Top Wood Surface can be lifted off the endcap to allow access for display installation


Preferred attachment hardware




The center slot is fully accessible through the Bottom Magnetic Panel for attaching the washers and wing nuts

- Utilize the center slot for mounting larger/heavier displays to the Top Wood Surface.
- The center slot is fully accessible through the removable Bottom Magnetic Panel for attaching the washers and wing nuts.
- Smaller fixtures can utilize any or all three slots.
- The Top Wood Surface can be lifted off the endcap to allow access for display installation and before resetting back in place.

4ft Endcap Top Wood Surface Detailed Dimensions




2ft Endcap Top Wood Surface Detailed Dimensions



Fixture Modularity

Expectations


- Larger box stock product can be accommodated by removing the two interior panels. This allows products to extend up to the entire width of the fixture.
- Standards have been built into the sides of the fixtures. Standard Best Buy peghooks, 2ft merch bars and 2ft shelves can be used in these areas.
- Non-standard 12.5" cross bars are orderable for pegged presentations on the 2ft Endcap. 12.5" cross bars are compatible with our standard 4" peghooks.



Interior Panels can be removed to allow for large box stock



Non-standard 12.5" cross bar for use on the 2ft Side Stock Endcap. EPDM# 1023564



Shelves, peghooks, and merch bars can be leveraged on sides

21. Display-Centric Base

Graphic Insert


Fixture Variations

The Display-Centric Base Case system is the new approved solution for physically displaying shrink-sensitive salable product beneath demos and displays on Lowbay Gondolas

Fixture Design Intent and Modularity


- The Display-Centric Base Case was designed as a component kit of parts.
 - These parts are intended for use on Standard Lowbay Gondolas and Skinny Lowbay Gondolas.
- Extra attachment channels and A/V pass throughs have been added to the Locking Cases that allow for product presentations and VPPs to be secured directly to the top of the fixture
- Enhanced security and shrink-minimization considerations were factored into the design of the fixture
- Channels are built into the top and bottom of the locking cases that can receive Graphic Inserts
 - These inserts can visually obscure the locking case when no salable stock is present, there is an elevated shrink risk, or if a vendor wants to increase their graphic presence on the fixture
- Demo/Display-Centric Base Cases can be merchandised side-by-side with existing, older locking case designs

Display-Centric Base Case




Standard Lowbay Gondola

Display-Centric Base Case:
Graphic Inserts Activated



Standard Lowbay Gondola



Skinny Lowbay Gondola




Skinny Lowbay Gondola

Graphic Insert Considerations

The Display-Centric Base Case system is the new approved solution for physically displaying shrink-sensitive salable product beneath demos and displays on Lowbay Gondolas.

Graphic Insert Guardrails

- Vendors can activate their brand on the Graphic Inserts through the use of lifestyle imagery
 - Inserts must feature photography that features humans interacting with products in an lifestyle environment
 - Crop of the image should allow for the products to be clearly visible within the image
 - Figures and product should be largely centered in the crop
- Inserts are produced in 47.98" wide sections
 - Vendors can bleed a single image across multiple Graphic Insert segments if they are all managed/operated by a single party
- Graphic Insert dimensions are 47.98" W x 23.75" H
 - Material is .1875 Ultraboard, white



Graphic Insert Alternatives


The Display-Centric Base Case system is the new approved solution for physically displaying shrink-sensitive salable product beneath demos and displays on Lowbay Gondolas

Graphic Insert Guardrails

- If lifestyle imagery featuring humans isn't available or allowed, other options include:
 - Featuring images of products in lifestyle environments **without** the inclusion of humans
 - Priority three features product imagery on a neutral color field


Priority One:

Lifestyle imagery featuring humans and products in environment



Priority Two:

Lifestyle imagery featuring products in environment



Priority Three:

Product imagery on a neutral color field



22. Computer Gaming Accessories Wedge

PC Gaming Accessories Guidelines

Notes:

- Creating a standardized display for PC Gaming Accessories
- Finish of the display framing is to be Tiger Drylac Extra Fine Texture Black
- 2 different layout options provided
- Display attaches to a Best Buy 14" standard shelf using a #10-32 threaded stud adhered to the bottom of the display that fits thru the perf on the shelf and mounted using a #10-32 wing nut. The threaded studs should be located on each corner of the display.



1



2

PC Gaming Accessories Guidelines

Notes:

- Inset panel can be the vendors color of choice
- Inset panel includes the headphone holder, keyboard and mouse
- Graphic supplied by vendor
- 3D lit logo, only the logo can be lit
- Product itself can have lights if it is part of the product that is sold
- No under shelf lighting
- Must accomodate for pricing
- Product information can be shown on the front angle as long as it accomodates for pricing



1

PC Gaming Accessories Guidelines

Notes:


- Inset panel can be the vendors color of choice
- Inset panel includes the headphone holder, keyboard and mouse
- Graphic supplied by vendor
- 3D lit logo, only the logo can be lit
- Product itself can have lights if it is part of the product that is sold
- No under shelf lighting
- Must accomodate for pricing
- Product information can be shown on the front angle as long as it accomodates for pricing
- Can have a raised panel on the inset panel and can be the vendors color of choice, thickness to not exceed 3/8" thick
- Can have a shelf to hold more product, must be able to price the products displayed on the shelf. Shelf to not exceed 3/8" and if it needs to be thicker for structural reasons it must be approved by Best Buy Design




PC Gaming Accessories Guidelines

Notes:


- Full display is provided by the vendor
- Overall form and size must be manufactured as shown
- Display attaches to a Best Buy 14" standard shelf using a #10-32 threaded stud adhered to the bottom of the display that fits thru the perf on the shelf and mounted using a #10-32 wing nut. The threaded studs should be located on each corner of the display



Display sits on top of a Best Buy standard 14" shelf and attaches by utilizing the perf in the shelf



DETAIL A
SCALE 1 : 2








PC Gaming Accessories - 14" Best Buy shelf

Guidelines

Notes:

- Shelf provided by Best Buy



23. TV Dream State

Home Theater Dreamstate Endcap - Black

EPDM #R0005-A


Planograms:

Areas used: Home Theater

- Blue box designated the area for the VPD display
- A consistent branded logo header is required
 - Needs to follow Best Buy's standard black horizontal band with reversed out logo standard
 - Brand logo should be illuminated, and follow C7 Lab guidance on brightness



- Example - partner with Store Design for detailed drawings and material specs.




24. TV Winglet Encap

Fixture Overview



TV Winglet Endcap offers an opportunity for vendors to display large format TVs. The Winglet wall is made of Fiberboard/MDF with Black laminate finish.

There are two versions of this fixture:


- Generation 2: The majority of existing stores and go forward prototypes
- Generation 1: Small store count fixture.
- Vendors must plan for both fixtures. Partner with project manager for exact breakout.



Header




Overall Dimensions




Power and Attachments



Generation 2



Generation 1



Graphics

Vendor Expectations


- Vendors are required to produce a standard header
- **Substrate:** 180cv3 with 8520 matte overlam, white

Vendor Best Practices


- A backer graphic should be created to go behind the product to unify the display
- Backer graphics must be neutral in color and not compete with the product on display.
- Any educational material should be added to a wedge from that seats on the base deck.
- No copy should appear surrounding the top or sides of the product.

 METAL (MAGNETIC RECEPTIVE)

Generation 2



Generation 1



Merchandising


Vendor Expectations

- A proximally located ESL is required for each TV display (*Ideas on ESL attachment available upon request*)
- A maximum of two TVs per endcap
- Keep display within allotted height, width and depth.
- Ensure all interactive elements, including buttons and touch components, meet ADA requirements.
- Ensure all electronics are reviewed by the Technology Design Lab (see Technology Design Standards below).
- Use permitted forms of lighting only. Lit logo headers and illumination from display products and monitors are permitted. No backlighting, downlighting or under-cabinet lighting is permitted. Other forms of lighting are allowed..



You will need details and dimensions in this guide on Partner Portal:

ESL Pricing



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

ESL Pricing


2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type. **Best Buy provides [include BBY-provided part names here].*
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

25. Premium Audio Wall

VPD Guidelines



- Vendor provided display must fit within 48" W x 17" D x 107" H space (shown in teal).
- Vendor header panel is used to display logo at the top of the wall as shown – **must follow Best Buy provided design** (reference page 7)
- Vendor can use BBY standard parts & accessories or provide a fully built display that attaches to the wall.
- Wall can support up to **450lb hanging weight per 4' section** – displays should use leveling feet or similar for heavier cabinets or other features
- Any cables used must be neat and properly managed. Center access panels in each section must remain accessible and removable.
- Vendors can use graphics, monitors, lit signage, and interactive elements at their discretion.
- All merchandising/display fixtures and placement selected by vendor **must meet ADA requirements**.
- All product displayed must have pricing. Reference the Best Buy ESL guideline document.


VPD Guidelines (continued)

Graphic options



- 29" H x 48" W minimum space allotted for graphics
- Lightbox(es)
- Static graphic(s) (styrene, fabric, etc.)
- Monitors (BBY can provide a spec if desired)
- Graphic thickness should be as minimal as possible, thickness should be determined on material substrate/functional pieces (light panel thickness, monitor thickness, etc.) not on aesthetics.

Product display area

- Displayed product must fall within this 78" H x 17" x 48" W space
- Any interactive product experiences, buttons, touchscreens or activators **must fall within ADA guidelines.**
- ESL pricing tags need to be incorporated into all display, box and stock product




Vendor Header Requirements



- Vendor header must follow specific form factor as prescribed by Best Buy – detailed engineering drawings will be provided by Store Design team
 - 3/4" MDF panel membrane pressed in Saarinen Driftwood finish
 - Non-lit logo/letters
 - White vinyl logo/letters at 6" height, centered on panel
 - Metal brackets must be used as designed to hang header panel on wall


Standard Parts & Accessories

Below are a handful of standard parts & accessories used in the Premium Audio Wall fixture package today. Vendors should use these designs in development/fabrication of their own displays – different concepts will be reviewed by the Store Design team on a case-by-case basis. Additional information/part documentation is available upon request.




Mount plate


- Allows parts to attach to wall via machine screws



6" peghook



Headphone peg




TV mount



Standard shelf

- 46" W x 12" D (shown)
- 23" W x 12" D




Base cabinet

- 46" W x 16" D (shown)
- 23" W x 16" D
- Locking doors optional


Merchandising Guidelines

Expectations

- Any interactive product experiences, buttons, touchscreens or activators must fall within ADA guidelines.
- No product/display or shelf may extend beyond 17” from the peg board wall
- The pegboard wall should be visually preserved, no backer panel or wallpaper should be used. Center access panels must remain accessible and removable.
- Separate **outward** facing Peglabel ESLs are needed for every product on display **above** 32” AFF (shown below)
- Separate **upward** facing Peglabel ESLs are needed for every product on display **below** 32” AFF (shown below)



Above 32” AFF



Below 32” AFF



Best Practices

- Make product the hero/focal of the presentation
- Video content and printed graphics should only be used as secondary support
- All non-interactive display product should fall beneath 78” AFF



Recommended Finishes

Listed below are Best Buy’s standard finishes for wood/metal fixture components. Vendors should use these finishes (or similar) to integrate their displays more seamlessly into the Best Buy ecosystem.

Wood	Metal
Designer White – Wilsonart D354-60	Powder Coat – Black Extra Fine Texture – Tiger Drylac 049-81241
Laminate – Matte Black – Formica 909-58	Powder Coat – White Fine Texture – Tiger Drylac 049-13150
 Omnova Thermofoil Film – Saarinen Driftwood	Powder Coat – Gloss Black – Protech Black HS-412N11 Or Equivalent
Omnova Thermofoil Film – Surf(x) – Matte Luxe White	
 Omnova Thermofoil Film – Surf(x) - Concrete Urban Grey	

26. Drone case

Fixture Overview

Our drones case offers a consistent and secure means of presenting your product. It contains both Best Buy-managed and vendor-managed parts.

Best Buy-managed:


- Acrylic case
- Product card
- QR code cling
- Backer graphic

Vendor-managed:


- Display or deadmock display product
- Security post




Fixture Dimensions





TOP DOWN



TOP DOWN RENDER



Graphics Overview



Graphics Details

Backer Graphic


Size: 47"W x 17.975"H
Substrate: .010 Styrene, White (or) 24pt C1S, White
Colors: CMYK



Graphics Details

Product Cards and QR Code Cling



- Product cards should be justified to the front left of the corresponding product. All cards should be front-aligned and orderly.
- The QR code cling should be placed in the lower righthand corner on the exterior of the display case.

 **You will need** details found in this guide on Partner Portal:

[Copy & Claims Guidelines](#)


Product Cards

Size: 5.5”Wx7.25”H (flat); 5.5”W x 5.5”H (finished)
Substrate: 3mm Sintra, White
Colors: K, BBYHumanBlue (or) K, BBYTechWhite
Finishing: Heat bend back 105 degrees, 5.5” from top.
Apply 1 strip of Remo1 tape to bottom of foot.



QR Code Cling

Size: 2.5”W x 3.75”H
Substrate: 9mil Neenah Stick-R
Removable Textured Wallpaper Paper
Colors: K



Graphics Details

Drones Filler Graphic


- When the product is not available for display, deploy the alternative Drones Filler Graphic.
- Ensure the graphic is neatly placed in the space created by the absent drone. The graphic should be completely parallel to the front of the drone case.

Drones Filler Graphic

Size: 8.5"W x 11"H

Substrate: 12pt C1S, White

Colors: CMYK, BBYHumanBlue




Attachments

All display drones must be secured to the presentation using a Best Buy-designed drone stand.

Vendor Expectations

- Utilize one drone stand for each drone on display.
Note: Default is angled stand when space allows. Flat stand is available if drone is too large for angled stand.
- Space your drone stands appropriately, with equal spacing on either side of the central drone position.

*Drawings and models of all parts available upon request.



Merchandising

Placement Expectations

- Space drones with equal room on either side of the central drone position.
- Justify product cards to the front left of the related product. All cards should be front-aligned and orderly.
- Center ESL directly below the product.



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

[Copy & Claims Guidelines](#)

Additional useful guides:

[Lowbay Gondola Guidelines](#)

2 REQUEST


from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type. **Best Buy provides acrylic case, product cards, QR code cling and backer graphic.*
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

Fixture Component	Best Buy Part Number
Angled Stand	1024294
Flat Stand	1024292
Weldment, 4' Drone Case	1024066
ASM, Display Cover — 4' Drone Display	1024061
Nut, #10-24, Nylon Locking	1000027
Washer, .218" ID x .500 OD x .06" THK, Flat	1000029
Screw, #10-24 x .75 LG, Tamper-Resistant, Button	1024058
Base — 4' Drone Display	1024071

27. Car Audio

Form Factor




Transition to a **vendor-provided display format** in which vendor partners design and maintain cabinet sections.


- Vendors can build cabinets in 2' wide increments depending on desired assortment
- Vendors can use the front panel as a blank canvas to creatively showcase product, functionality, and brand messaging
- Encourage external collaboration between vendors that don't offer a full suite of car audio products

NOTE: Cabinet merchandising/product assortment shown is for **reference only**. Final design to be determined by vendor.

Form Factor (continued)



Exploded view showing an example of a 4' cabinet section



Cabinets attach to standard depth gondola via tie bar (provided by Best Buy)



NOTE: Cabinet merchandising/product assortment shown is for *reference only*. Final design to be determined by vendor.

Cabinet Build Details


Vendor-provided cabinets must follow a prescribed form factor and finish schedule to establish consistency across the gondola section.

- Overall and critical dimensions shown on drawing views (4' wide example shown)
- Cabinet frame must be built from MDF and finished in Designer White laminate
- Brackets on cabinet backside must be included – these will be used to attach cabinet to tie bars pre-installed on gondola run
- Electronics package must be UL or ETL listed and contained within cabinet, and able to plug into a single 120v outlet on a power strip tucked behind cabinet
- Cabinet must be provisioned for airflow to prevent overheating



NOTE: All dimensions shown on this page are in inches. CAD files are available upon request for these parts.








Cabinet Build Details (continued)



Exploded view showing cabinet attachment to tie bar via brackets with threaded studs



Cabinet Build Details (continued)







NOTE: All dimensions shown on this page are in millimeters. CAD files are available upon request for these parts.

Cabinet Presentation and Branding Guidelines

Vendor-provided front panels must also follow a prescribed form factor and finish schedule to establish consistency across the gondola section.

- 6” black band on top of panel for logo placement
 - 3mm Alpolic polymetal material – BLX Black finish
- 3” allowable logo height – white vinyl
 - Logo centered vertically and horizontally in band
- Black band should sit flush with front panel as shown in detail view and in Solidworks model
- Vendors are encouraged to utilize touch screens, switch buttons, and other interactive components at their discretion to select and demo products



NOTE: Cabinet merchandising/product assortment shown is for *reference only*. Final design to be determined by vendor.

Technology Callouts

All displays are required to follow existing BBY Technology Standards as well as the following specific to this space.

IMPORTANT - The display and its parts should be able to pass UL certification and testing as required.

Power & Components –

- All power supplies and components must be UL listed.
- No bare power wires, terminals, fuses, screw terminals, or distribution.
- Power connections for SKU's must be terminated in a quick connector.
 - No butt splicing, screw terminals, etc.
- No daisy chained power supplies or power strips.
- No power whips or extensions.
- Power for the display can and may be shared with other displays in the space.

Functionality & Access –

- All displays shall be designed with quick and easy SKU in/out by minimally trained associates.
- All SKU in/out should be able to be completed with minimal number of tools and with no specialty tools.
- All electronics to support the display need to be easily accessed.
- All products with lighting built in must not flash or change colors quickly when not actively being interacted with by a customer.

28. Premium Home Audio

Large Concept


Overview

The Premium Home Audio space invites vendors to create an immersive experience on the perimeter of our Large Concept stores.


Displays are activated on either a **wall fixture** or a **full zone that contains a wall fixture and the surrounding 4' x 4' floor pad**.

Vendor Expectations



- For **wall activation**, contain all fixtures and signage within the space of 95.938”W x 112”H x 24”D.
- For **full zone activation**, contain all fixtures and signage within the space of the 8’W x 8’D floor pad.
- Ensure space and fixtures are ADA-compliant.
 - GCA & IBC Code require aisles serving elements (“architectural components”) to be at least 48”W.



Dimensions: Wall Fixture Activation





Dimensions: Full Zone Activation



Support and Anchoring

Vendor Expectations

- Secure the display wall and monitors using the required plasma bars (#1010755 or # 1001950). **Note:** Uprights for plasma bars are 48" on center.



Power & Attachments

Vendor Expectations

- Use power, if desired, for any display attached to the wall. **Note:** *Freestanding fixtures on the floor space cannot be powered.*
- If powering displays, use power cords that are 15' long.
- The lit perimeter header needs power supply part #1023615. One power supply per vendor header.
- Ensure the LED strip is centered in the perimeter header light panel. Refer to part #1013766 for details.
 - Perimeter headers higher than 10' have illuminated logos with a luminance range of 4000 to 7000 LUX.

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	04-28-23	SAE

Sheet1

NOTES:

1. MATERIAL CAN BE OBTAINED FROM THE FOLLOWING:
TRC ELECTRONICS, INC
(WWW.TRCELECTRONICS.COM) (PH.: 888-612-9514)
PART NUMBER: MEAN WELL GST60 A 24 - P1J OR
ENGINEERING EQUIVALENT
2. TO BE SUPPLIED WITH AC POWER CORD

VIEW A-A

IEC320 C-14 RECEPTACLE

	Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423	TITLE: POWER SUPPLY, AC/DC, 60W, 24V, 2.5A	
		MATERIAL: AS PURCHASED	
OPERATION		PLACES IN DIMENSION	
		0.0	0.00
		0.00	0.000
MACHINING METAL		+0.030	+0.010
LASER / TURRET		+0.060	+0.030
SHEET METAL FORMING		+0.100	+0.040
WELDING METAL		+0.125	+0.060
MACHINING PLASTIC		+0.100	+0.030
FORMING PLASTIC		+0.125	+0.060
WOOD		+0.125	+0.040
EXTRUSION		+0.040	+0.020

FINISH: N/A	DRAWN BY: TTB	DATE: 04-28-23	SCALE: 1:4	DRAWING NO.: 1023615	REV.: A	THIRD ANGLE PROJECTION IN [mm]
	CHECK BY: XXX	DATE: XX-XX-XX	SHEET: 1 of 1			

COPYRIGHT © 2018 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC.

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	04-28-23	SAE

Sheet1

NOTES:

1. MATERIAL CAN BE OBTAINED FROM THE FOLLOWING:
TRC ELECTRONICS, INC
(WWW.TRCELECTRONICS.COM) (PH.: 888-612-9514)
PART NUMBER: MEAN WELL GST60 A 24 - P1J OR
ENGINEERING EQUIVALENT
2. TO BE SUPPLIED WITH AC POWER CORD

VIEW A-A

IEC320 C-14 RECEPTACLE

	Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423	TITLE: POWER SUPPLY, AC/DC, 60W, 24V, 2.5A	
		MATERIAL: AS PURCHASED	
OPERATION		PLACES IN DIMENSION	
		0.0	0.00
		0.00	0.000
MACHINING METAL		+0.030	+0.010
LASER / TURRET		+0.060	+0.030
SHEET METAL FORMING		+0.100	+0.040
WELDING METAL		+0.125	+0.060
MACHINING PLASTIC		+0.100	+0.030
FORMING PLASTIC		+0.125	+0.060
WOOD		+0.125	+0.040
EXTRUSION		+0.040	+0.020


FINISH: N/A	DRAWN BY: TTB	DATE: 04-28-23	SCALE: 1:4	DRAWING NO.: 1023615	REV.: A	THIRD ANGLE PROJECTION IN [mm]
	CHECK BY: XXX	DATE: XX-XX-XX	SHEET: 1 of 1			

COPYRIGHT © 2018 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC.

Graphics

Vendor Expectations

- Include a 24”H logo header to match existing Best Buy headers. Header must hang on merchandising bars attached to uprights.
- Reference EPDM #1021616 for overall construction and finish specifications.




Graphics

Vendor Expectations

- Ensure backer panels are neutral in color and texture, and approved by Best Buy.
- Use SEG as the preferred substrate for large format graphics.
- Choose an image with Best Buy's priorities in mind:
 - Priority one:** Lifestyle imagery of humans and products in an environment.
 - Priority two:** Lifestyle imagery of products in an environment.
 - Priority three:** Product imagery on a neutral color field.

Note: Basedeck covers and vertical signage are not permitted.



Merchandising

Vendor Expectations

- For **full zone activation**, contain all fixtures and signage within the 4'W x 4'D floor space.
 - Design island fixture with maximum dimensions of 48"W x 48"H x 48"D.
 - Maintain at least 4' of clearance between wall display and fixture.
 - Ensure all fixture components are ADA-compliant.
- For **wall activation**, contain all fixtures and signage within the space of 95.938"W x 112"H x 24"D.



Note: There are no flooring changes/transitions that separate the space.

Merchandising

Vendor Expectations


- Keep display within allotted height, width and depth.
- Prioritize TV(s) and soundbar(s) over graphics or other product categories.
- Ensure all interactive elements, including buttons and touch components, meet ADA requirements.
- Ensure all electronics are reviewed by the Technology Design Lab (see Technology Design Standards below).
- Use permitted forms of lighting only. Lit logo headers and illumination from display products and monitors are permitted. No backlighting, downlighting, lit platforms, shelf lighting or under-cabinet lighting is permitted.
- Support all products, display or salable, with a proximally located electronic shelf label (ESL).
- Contain any display fixtures or small furniture pieces within the 4' x 4' floor space, ensuring they help connect the wall and floor program.
- Attach any additional fixture pieces securely to the wall or base deck.



You will need details and dimensions in these guides on Partner Portal:

[ESL Pricing](#)

[Technology Design Standards](#)



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

ESL Pricing

Technology Design Standards

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type. **Best Buy provides Perimeter Racking*
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

29. Convergence Zones


Overview

Convergence Zones offer an opportunity to activate standalone vendor shops at key strike points on the race track.


Presentations are activated on either a **single wall fixture**, or **a full zone containing two wall fixtures and the 11' x 11' floor pad that surrounds them.**

Vendor Expectations

- For **single wall activation**, contain all fixtures and signage within the space of 96”W x 84”H x 10.5”D. **Note:** Select circumstances may permit depth of up to 22” for displays.
- For **full zone activation**, contain all fixtures and signage within the space of the 11’W x 11’D floor pad.
 - If any fixture elements on the walls exceed 10.5” in depth, fins or a cane-detectable element is required.
- Ensure space and fixtures are ADA-compliant.
 - GCA & IBC Code require aisles serving elements (“architectural components”) to be at least 48”W.


 **You will need** details and dimensions in this guide on Partner Portal:

Architecture Standards




Single Wall Activation

Note: Shelves shown for depth reference and can be used at vendor’s discretion. See “Next Steps” page for shelf part numbers.




Full Zone Activation

Dimensions: Single Wall Activation



Dimensions: Full Zone Activation



Structural Support and Anchoring

Each Convergence Zone wall has a maximum in-service total weight of 560 pounds. The total hanging load for each 8' fixture wall side cannot exceed 216 pounds.

Vendor Expectations

- Determine if free-standing fixture tipping is a concern and if ballasts, bracing or anchoring is needed.
 - Minimum overturning factor of safety (FS) is 1.5 if minimum FS cannot be achieved through self weight alone.
- If using ballasts, distribute equally in the bottom of tip-prone fixtures.
- If using anchors and placing your fixture in the same location as previous fixture, refer to legacy anchor patterns to meet the minimum requirement of 4" of separation from previous anchor points.

Note: A structural review is required to ensure correct placement, weight distribution and attachment method.

Power


Each fixture wall contains 2 duplex receptacles that provide continuous (24/7) power and 2 duplex receptacles that provide controlled (EMS) power on a 20-amp circuit to each side of the wall, evenly spaced along the wall segment.

Fixtures, signage and presentation elements located away from the walls cannot be powered.

Receptacles are mounted on the fixture wall uprights with continuous power located 3" above the bottom cutout and controlled power mounted 3" below the top knockout.

Panels are removable to access the void that contains electronics and wiring.

Electrical Detail



Duplex Receptacles

Note: Controlled power mounted 3" below top knockout and continuous power 3" above bottom knockout.

Graphics

Vendor Expectations


- Produce one branded header per wall fixture in your stage.
 - **Size:** 98.38"W x 12"H
 - **Substrate:** 3mm Expanded PVC (Komatex) Black; slides into "C" channel.
 - Apply cut vinyl letters centered on black substrate; white logo (max. 4.75"H)
- Create additional graphics as desired.
 - SEG (standard or backlit) is the preferred substrate for large format graphics. SEGs must be attached by hooking into framework uprights.
 - If covering a wall with magnetic graphics, they must be produced in multiple sheets or diecut around slots.
 - Copy must be kept a minimum of 36" above the floor.
Note: Floor graphics are not permitted.

Best Practices


- Ensure the product serves as the hero of the presentation; all signage and collateral should act in support.
- Beyond the branded headers, use vendor logos sparingly.
- Feature each signage element at its most impactful moment of the customer's journey. (i.e. Copy-heavy signage should fall after a customer's engagement with the product.)

REQUIRED GRAPHIC

Branded Header




Header Channel




Merchandising

Vendor Expectations

- For **single wall activation**, contain all fixtures and signage within the space of 96”W x 84”H x 10.5”D.
Note: Select circumstances may permit depth of up to 22” for displays.
- For **full zone activation**, contain all fixtures and signage within the space of the 11’W x 11’D floor pad.
- Do not extend above the fixture wall height.
- Do not cover or obscure horizontal header.
- Uprights are 24” on center.
- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.
- Ensure all demo experiences are ADA-compliant.

 **You will need** details and dimensions in this guide on Partner Portal:

Architecture Standards



Merchandising

Vendor Expectations

- Activate required side fins on any wall fixture shelves that are greater than 10.5”D.
 - No fins are needed if cane-detectable fixture or element is added below shelf.
- Use permitted forms of lighting only. No backlighting, downlighting or under-cabinet lighting is allowed.
- Ensure product is the hero of the presentation. Do not crowd with graphics or copy.
- Support all products, display or salable, with a proximally located electronic shelf label (ESL).
- Design your display components with modularity in mind to ensure easy replacement when products/signage change.

Best Practices

- Design wall fixture elements and freestanding fixtures in 48”W sections to allow greater cross-compatibility among COS Brand Zone, Convergence Zone and Gondola fixtures.
- Leverage the uprights when attaching merchandise-supporting shelves and wall elements.



You will need details and dimensions in this guide on Partner Portal:

ESL Pricing



Full Zone-specific Merchandising

Vendor Expectations

- Design island fixture with max. dimensions of 48”W x 48”H x 48”D.
- Place island in the far corner of the zone’s floor pad.

Note: If program will transition to COS Brand Zone fixture in the future, use max. dimensions of 36”W x 48”H x 36”D for island.



You will need details and dimensions in this guide on Partner Portal:

Architecture Standards



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

Architecture Standards

ESL Pricing

Additional useful guides:

Copy & Claims Guidelines

Vendor Signage

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type.
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

Fixture Component	Best Buy Part #	Fixture Component	Best Buy Part #
8' Convergence Wall	1010346	18" x 24" Standard Shelf	1012250
Convergence Wall Header	1014094	22" x 24" Standard Shelf	1012252
12" x 48" Standard Shelf	1014797	10.5" x 48" Adjustable Shelf Matte Black	1016891
14" x 48" Standard Shelf	1012248	12" x 24" Adjustable Shelf Matte Black	1017727
18" x 48" Standard Shelf	1012249	24" Merch Bar Black	1010635
22" x 48" Standard Shelf	1012251	12" Peghook (Wire Grid & Merch Bar) Black	1010643
12" x 24" Standard Shelf	1017788	4" Peghook (Wire Grid & Merch Bar) Black	1010717
14" x 24" Standard Shelf	1012247		

30. Center of Store Brand Zone


Fixture Overview

COS Brand Zones offer an opportunity to activate standalone vendor experiences in the center of store.



They are created in the spacial void between two Best Buy-provided wall fixtures.

Vendor Expectations

- Contain all fixtures and signage within the activation space of 8'3"W x 5'6"H x 8'3"D.
- Ensure space and fixtures are ADA-compliant.
 - GCA & IBC Code require aisles serving elements ("architectural components") to be at least 48"W.
- Keep wall fixtures clear. Best Buy-designated vertical vendor graphics are the only attachments permitted.

 **You will need** details and dimensions in this guide on Partner Portal:

Architecture Standards




Space Planning



COS Brand Zones are small areas of activation. In order to maintain ADA aisle spacing compliance, fixture dimensions and placement must be fully considered.

Vendor Expectations

- Code require aisles serving elements (“architectural components”) to be at least 48”W.
- If wall-abut fixtures are designed at 2’3” D, maximum island fixture dimensions are 2’ W x 2’ D x 5’6” H.
- Maximum island fixture dimensions are 4’ 3” W x 4’3” D x 5’6” H.
 - Maximum dimension island negates the opportunity for any merchandising, fixtures or dimensional graphic abut to wall.
- Free space must be maintained around Vertical vendor graphics. See *Graphics page for details*.

 **You will need** details and dimensions in this guide on Partner Portal:

Architecture Standards



Structural Support and Anchoring

Vendor Expectations


- Vendors must determine if fixture tipping is a concern and if ballasts, bracing or anchoring is needed:
 - Minimum overturning factor of safety (FS) is 1.5 if minimum FS cannot be achieved through self-weight alone.
- Ballasts should be equally distributed in the bottom of tip-prone fixtures.
- If a fixture is deemed a tipping hazard and not supported by a ballast or bracing it should be anchored.
 - If placing in same location as previous fixture, legacy anchor patterns will be required to ensure a minimum of 4" separation from previous anchor points.

Power

Vendor Expectations

- Each wall contains 2 duplex receptacles providing both continuous power and controlled (EMS power and 24/7) on a 20 AMP circuit split to both sides of each wall segment.
- Fixtures, signage or presentation elements located remote from walls cannot be powered.

LEGEND	
	CONTINUOUS POWER DUPLEX RECEPTACLE 20 AMP
	CONTROLLED POWER DUPLEX RECEPTACLE 20A



Graphics

Vendor Expectations

- Produce two vertical graphics per Brand Zone quadrant.
 - Follow approved graphic template on next page.
- Other product information and wayfinding signage is created at the discretion of the vendor.
- Keep all copy 26” or higher from floor.

Best Practices

- Ensure the product serves as the hero of the presentation; all signage and collateral should act in support.
- Beyond the vertical graphics, use vendor logos sparingly.
- Feature each signage element at its most impactful moment of the customer’s journey. (i.e. Copy-heavy signage should fall after a customer’s engagement with the product.)

! You will need details and dimensions in this guide on Partner Portal:


[Copy & Claim Guidelines](#)

[Vendor Signage](#)

This design can be paired only with itself or with an image-only option.




This design can be paired only with itself or with an image-only option.



This design can be paired with any other option.




This design can be paired only with an image-only option.




Vertical Graphic Examples

Graphics


This design can be paired only with itself or with an image-only option.




This design can be paired only with itself or with an image-only option.



This design can be paired with any other option.



This design can be paired only with an image-only option.



Flat size: 26.313" x 60.438"
Finished size: 25.438" x 59.688"
Substrate: 10oz. Aberdeen Heavy Knit, White
Color: CMYK
Finishing: Sew or heat weld 3mm width Keder around the entire graphic.

Merchandising

Vendor Expectations

- Contain all products, fixtures and signage within the designated footprint of 8'3"W x 8'3"D.
 - Do not extend above the fixture wall height.
 - Do not cover or obscure vertical graphics.
- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.
- No backlighting, downlighting or under-cabinet lighting is permitted. Other forms of lighting are allowed.



Merchandising

Vendor Expectations

- Ensure product is the hero of the presentation. Do not crowd with graphics or copy.
- Support all products, display or salable, with a proximally located electronic shelf label (ESL).
- Design your display components with modularity in mind to ensure easy replacement when products/signage change.
- Ensure your fixtures and signage do not cover more than 50% of the slated fixture wall surface.
 - Sightlines through the slats drive customer engagement with presentations.



You will need details and dimensions in this guide on Partner Portal:

ESL Pricing



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need**:

Architecture Standards

ESL Pricing

Additional useful guides:

Copy & Claims Guidelines

Vendor Signage

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type. **Best Buy provides the wall fixtures.*
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

31. Theater District

Overview

The Theater District invites vendors to showcase disruptive and immersive experiences near the race track.

Each vendor presentation or “position” can activate on Side Stock Endcaps and/or Wall Fixtures.

To encourage newness and drive continued customer engagement, vendors will occupy positions for approximately 18 months.

Best Buy-managed components:

- Framework Side Stock Endcaps and Wall Fixtures (*fixtures detailed in the following pages*)
- Standard gondola shelves, hang bars and peg hooks
- Electronic shelf labels (ESLs)

Vendor-managed components:


- Logo headers
- Required templated graphics
- Demo, Display and Deadmock Display products
- Bespoke fixturing elements
- Supporting graphics as desired



**Drawings and models of all parts available upon request.*

Configuration Overview

Position	Small	Medium (2 Vendors)	Large	X-Large
Description	Single Side Stock Endcap display	Side-by-side 4' Wall Fixture displays + brand header	8' Wall Fixture display + brand header	8' Wall Fixture display + brand header + back-to-back Side Stock Table displays
Activatable Space	21" H x 45.250" W x 23" D	67" H x 48" W x 18" D	67" H x 96" W x 18" D	67" H x 96" W x 18" D (Wall) + 21" H x 45.250" W x 28.25" D (x2) (Side Stock)
Footprint	60" H x 48" W x 26" D	67" H x 48" W x 18" D	67" H x 96" W x 18" D	67" H x 96" W x 18" D (Wall) + 60" H x 48" W x 56.5" D (Side Stock)
<i>Dimensions for graphics and fixtures are approximate, detailed information provided later in this document.</i>				




Placement & Adjacencies

Expectations

- The Theater District is placed along the racetrack with clear sightlines to the fixtures.
- Theater District merchandising programs are not expected to be thematically relevant to adjacent departments.

Best Practices

- Where possible, complementary vendor programs should be placed together within the Theater District fixtures, especially when vendors activate only half of the Wall Fixture or a single side of a Side Stock Endcap (Small and Medium Positions.)
 - Example: iRobot vacuums and Whisker Litter Robots (same product category) or Nintendo Switch and Lego (same customer-type).



Theater District
Side Stock Endcap
Vendor Guidelines

Side Stock Endcap

The **Side Stock Endcap** creates a consistent, display-centric presentation that visually minimizes salable product stock.

Unlike other Best Buy endcaps, tight guidelines are in place for Side Stock Endcaps. The outcome is a more flexible, transactional fixture that allows cost effective design solutions and easy installation and removal.



Best Buy Managed

- Core fixture elements
- Pricing ESLs

Vendor Managed

- Any product featured as display or demo on the top wood surface
- Platforms, security, data and power attachments needed for display or demo products on top wood surface
- Magnetic graphics for top and bottom panels..
- Printed logo Header

**Drawings and models of all parts available upon request.*




4ft Side Stock Endcap

Overall Dimensions


*Dimensions are for reference only.

Best Buy drawings and models are available upon request.



4ft Endcap Top Wood Surface Detailed Dimensions

*Dimensions are for reference only.
Best Buy drawings and models are available upon request.



Side Stock Table

The **Side Stock Table** creates a consistent, display-centric presentation that visually minimizes salable product stock.


The Side Stock Table is only a fixture option presented to vendors with XL positions. Tight guidelines are in place for Side Stock Tables. The outcome is a more flexible, transactional fixture that allows cost effective design solutions and easy installation and removal.

Best Buy Managed

- Core fixture elements
- Pricing ESLs

Vendor Managed

- Any product featured as display or demo on the top wood surface
- Platforms, security, data and power attachments needed for display or demo products on top wood surface
- Magnetic graphics for the bottom panels




**Drawings and models of all parts available upon request.*

Table Top Wood Surface Detailed Dimensions


*Dimensions are for reference only.

Best Buy drawings and models are available upon request.



Security, Attachments and Power

- Utilize the center slot for mounting larger/heavier displays to the Top Wood Surface.
- The center slot is fully accessible through the removable Bottom Magnetic Panel for attaching the washers and wing nuts.
- Smaller fixtures can utilize any or all three slots.
- The Top Wood Surface can be lifted off the endcap to allow access for display installation and before resetting back in place.





Center slot for mounting larger/heavier displays

Smaller fixtures can utilize any or all three slots


The Top Wood Surface can be lifted off the endcap to allow access for display installation

Preferred attachment hardware



The center slot is fully accessible through the Bottom Magnetic Panel for attaching the washers and wing nuts

Security, Attachments and Power




***Power strip is provided in both endcaps**

- Security cables and product platforms can attach to the fixture and be snaked through cutout on the back of the top wood surface.
- The provided top wood surface should be leveraged as the main display backdrop for product presentations. It can be covered by a vendor-supplied surface as a less-preferred alternative.
- **If top wood surface is damaged or altered in any way, vendors are responsible for replacing it upon vacating space.**
- Front panels are removable to provide easy access to fixture interiors.
- Power can be accessed through mouse holes in the back and bottom of the fixture.

Graphic Activation Areas

- 1. Header
- 2. Top Magnetic Panel
- 3. Top Wood Surface
- 4. ESL Channel
- 5. Bottom Magnetic Panel
- 6. Salable Merchandising Area




Print and substrate Information:


Dieline name: "Dieline_4ft_Header_47x5.9"
Size: 47 (w) x 5.9 (h)
Substrate: .1875 Ultraboard, Black/Black/Black

Dieline name: "Dieline_4ft_TopBacker_45.250x21"
Size: 45.250 (w) x 21 (h)
Substrate: 20mil Magnetic Vinyl, White


Dieline name: "Dieline_4ft_BaseFront_45.250x25.625"
Size: 45.25 (w) x 25.625 (h)
Substrate: 20mil Magnetic Vinyl, White



Dieline_4ft_Header_47x5.9



Dieline_4ft_TopBacker_45.250x21



Dieline_4ft_BaseFront_45.250x25.625

Endcap Graphics

Expectations

- Graphics on the magnetic panels should be visually uncluttered and not distract from the products on display. Ex. Simple lifestyle photography, macro product photography or minimal graphic textures or patterns.
- Copy and logos are not permitted on the bottom magnetic panel
- Additional graphics and educational touchpoints can be added, but not cover more than 25% of the top wood surface
- Include in your collateral a directive for product fulfillment

Examples:

- Scan price tag QR codes to:
- Get product info
 - Check availability
 - Get expert help
 - Send to Order Pickup


Scan price tag QR codes to send to Order Pickup.

Best Practices

- The Side Stock Endcaps are intended for a concise product display providing "at a glance" engagement and understanding
- Keep product education simple and brief

Graphic Activation Areas

1. Top Wood Surfaces
2. ESL Channels
3. Bottom Magnetic Panels




Print and substrate Information:

Dieline name: "Dieline_4ft_BaseFront_45.250x25.625"

Size: 45.25 (w) x 25.625 (h)

Substrate: 20mil Magnetic Vinyl, White



Dieline_4ft_BaseFront_45.250x25.625

Side Stock Endcap: Execution Guide

Table Graphics

Expectations

- Graphics on the magnetic panels should be visually uncluttered and not distract from the products on display. Ex. Simple lifestyle photography, macro product photography or minimal graphic textures or patterns.
- Copy and logos are not permitted on the bottom magnetic panel
- Additional graphics and educational touchpoints can be added, but not cover more than 25% of the top wood surface
- Include in your collateral a directive for product fulfillment

Examples:

- Scan price tag QR codes to:
- Get product info
 - Check availability
 - Get expert help
 - Send to Order Pickup

Scan price tag QR codes to send to Order Pickup.

Best Practices

- The Side Stock Tables are intended for a concise product display providing "at a glance" engagement and understanding
- Keep product education simple and brief

Endcap Merchandising

Expectations

- All interactive elements must meet accessibility standards.
- Display/demo products on top wood surface need to be secured leveraging platforms, cables or mounts. See following pages for details.
- Products may not extend above logo header panel or beyond the sides of the fixture.
- Logo on header should not be visually obstructed by products.
- Additional graphics and educational touchpoints can be added, but not cover more than 25% of the top wood surface.
- Every display or salable SKU needs a Peg Label or Fact Tag ESL. Plan for their inclusion when merchandising fixture.

Best Practices

- Curate the total number of displayed SKUs and storytelling touchpoints.




Table Merchandising

Expectations

- All interactive elements must meet accessibility standards.
- Display/demo products on top wood surface need to be secured leveraging platforms, cables or mounts. See following pages for details.
- Products may not be beyond the sides of the fixture.
- Additional graphics and educational touchpoints can be added, but not cover more than 25% of the top wood surface.
- Every display or salable SKU needs a Peg Label or Fact Tag ESL. Plan for their inclusion when merchandising fixture.
- Plan for presentation elements giving clear space to accommodate power drop. See diagram on this page.

Best Practices


- Fixture was intended to be leveraged as a front and a back with salable stock on the sides, rather than a 360 ° shopping experience.
- Curate the total number of displayed SKUs and storytelling touchpoints.



Fixture Modularity


Expectations

- Larger box stock product can be accommodated by removing the two interior panels. This allows products to extend up to the entire width of the fixture.
- Standards have been built into the sides of the fixtures. Standard Best Buy peghooks, 2ft merch bars and 2ft shelves can be used in these areas.
- Non-standard 12.5" cross bars are orderable for pegged presentations on the 2ft Endcap. 12.5" cross bars are compatible with our standard 4" peghooks.



Interior Panels can be removed to allow for large box stock

Non-standard 12.5" cross bar for use on the 2ft Side Stock Endcap.
EPDM# 1023564



Shelves, peghooks, and merch bars can be leveraged on sides

Theater District
Wall Fixture
Vendor Guidelines

Overview

The Theater District space invites you to showcase disruptive and immersive experiences near the race track.

Of the Theater District fixtures, the Wall Fixtures allow for the most disruptive sightlines, biggest branding opportunity and largest merchandisable area.

Best Buy-managed components:

- Framework wall fixtures (*detailed in the following pages*)
- Standard gondola shelves, hang bars and peg hooks
- Electronic shelf labels (ESLs)


Vendor-managed components:

- Logo header (*detailed in the following pages*)
- Demo, Display and Deadmock Display products
- Bespoke fixturing elements
- Supporting graphics as desired



**Drawings and models of all parts available upon request.*

Dimensions





Power and Structural Support

Each 4' section of a Wall Fixture contains one split quad power receptacle in the fixture base. Each split quad receptacle allows vendors access to one continuous (24/7) power outlet and one controlled (EMS) power outlet. All outlets are on a 20-amp circuit split, so vendors can plan for up to 5 amps of power usage.

Structural Support Vendor Expectations

- All hanging presentation elements should hook into the slotted vertical uprights.
- Determine if any floor standing elements are at risk for tipping and if ballasts, bracing, or anchoring is needed.
 - Minimum overturning factor of safety (FS) is 1.5 if minimum FS cannot be achieved through self-weight alone.



Slotted vertical uprights (detail)

Graphics

Vendor Expectations

- Produce one branded header per wall fixture in your stage.
 - **Size:** 95.87"W x 7"H or 47.87"W x 7"H
 - **Substrate:** .1875 Ultraboard, Black/Black/Black
 - Include a centered white logo (max. 3.5"H)
 - Templates are available upon request
- Create additional graphics as desired.
 - SEG (standard or backlit) is the preferred substrate for large format graphics. SEGs must be attached by hooking into framework uprights.
 - If covering a wall with magnetic graphics, they must be produced in multiple sheets and diecut around slots.
 - Copy must be kept a minimum of 26" above the floor.
Note: *Floor graphics are not permitted.*
- Include in your collateral a directive for product fulfillment.

Examples:

Scan price tag QR codes to:

- Get product info
- Check availability
- Get expert help
- Send to Order Pickup

Scan price tag QR codes to send to Order Pickup.

REQUIRED GRAPHIC

8' Activation Branded Header



4' Activation Branded Header




Graphics

Best Practices


- Ensure the product serves as the hero of the presentation; all signage and collateral should act in support.
- Beyond the branded headers, use vendor logos sparingly.
- Feature each signage element at its most impactful moment of the customer’s journey. (i.e. Copy-heavy signage should fall after a customer’s engagement with the product.)
- Large and Extra-large positions will be offered to activate the back side of the Wall Fixture in select markets—partner with your project manager for details.

OPTIONAL GRAPHICS


Magnetic Receptive Panels



Recommended substrate:
Magnetic Receptive (10-12.5mil, 94-97 bright)



Full-Wall SEG Graphic



Recommended substrate:
Lumaflex SEG. Sew or heat weld
3mm x 13.3mm keder size around
the entire graphic.

Merchandising

Vendor Expectations

- Contain all products, fixtures and signage within the fixture walls and Side Stock Endcap (in XL Position.)
 - If any fixture elements on the walls exceed 18” in depth, fins are required on uprights or a cane-detectable element is required below.
 - Shelved programs have an ideal depth of 18” or less and any supporting floor-seated fixtures should not exceed 24” in depth.
- Do not extend above the 65” fixture wall height.
- Include your choice of Demo, Display or Dead Mock Display product(s).
 - **Demo:** An out-of-box product feature that allows for an interactive experience.
 - **Display:** A non-interactive product included to showcase materiality, form factor, colorways and sizing.
 - **Dead Mock Display:** A non-interactive 3D model of salable product intended to showcase form factor, colorways and sizing.



Merchandising

Vendor Expectations

- Use permitted forms of lighting only. No backlighting, downlighting or under-cabinet lighting is permitted.
- Ensure product is the hero of the presentation. Do not crowd with graphics or copy.
- Support all products, display or salable, with a proximally located electronic shelf label (ESL).
- Design your display components with modularity in mind to ensure easy replacement when products/signage change.
- Large and Extra-large positions will be offered to activate the back side of the Wall Fixture in select markets—partner with your project manager for details.



You will need details and dimensions in these guides on Partner Portal:

ESL Guidelines

Technology Design Standards



Best Buy-managed: Framework, shelving
Vendor-managed: Graphics, Display Monitor



Best Buy-managed: Framework
Vendor-managed: Graphics, SEG frame, casework

Merchandising

Best Practices

- Design wall fixture elements and freestanding fixtures in 48"W sections to allow greater cross-compatibility among COS Brand Zone, Convergence Zone and Gondola fixtures.
- Leverage the uprights when attaching merchandise-supporting shelves and wall elements.
- Leveraging modular platforms and product display wedges that can be leveraged on wall shelves, SSE, as well as other fixtures.



Convergence Zone



Theater District



Inline



Theater District



Side Stock Endcap



Standard Endcap

Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

[ESL Guidelines](#)

[Technology Design Standards](#)

Additional useful guides:

[Universal Inline](#)

[Architectural Standards](#)

2 REQUEST


from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type. **Best Buy provides framework wall fixtures, standard gondola shelves, hang bars and peg hooks.*
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

Fixture Component	Best Buy Part #	Fixture Component	Best Buy Part #
8' Convergence Wall	1010346	18" x 24" Standard Shelf	1012250
Convergence Wall Header	1014094	22" x 24" Standard Shelf	1012252
12" x 48" Standard Shelf	1014797	10.5" x 48" Adjustable Shelf Matte Black	1016891
14" x 48" Standard Shelf	1012248	12" x 24" Adjustable Shelf Matte Black	1017727
18" x 48" Standard Shelf	1012249	24" Merch Bar Black	1010635
22" x 48" Standard Shelf	1012251	12" Peghook (Wire Grid & Merch Bar) Black	1010643
12" x 24" Standard Shelf	1017788	4" Peghook (Wire Grid & Merch Bar) Black	1010717
14" x 24" Standard Shelf	1012247		

32.8' TV



Overview of VPD Space



Notes:

- VPDs cannot exceed fixture dimensions, height, width or depth
- TV(s) and soundbar(s) should be displayed in this area - mounts are provided by vendor
- All merchandising/display fixtures and placement selected by vendor must meet ADA requirements
- All electronics must be reviewed by the C7 lab
- Any buttons or touch interactives must follow ADA guidelines
- Headers are allowed in this area, but must follow Best Buy fixture requirements
- No vertical signage allowed
- No additional lighting in the space (i.e. back lit TVs)
- Any additional fixture pieces will have to set on the base deck
- No basedeck covers are allowed
- All product displays must have pricing, reference the ESL guideline document

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	00-00-00	




SECTION A-A
SCALE 1 : 24

Technical Specs

Notes:

- EPDM# 0005274 (Starter) 0005275 (Addon)
- BBY can provide fixture drawings to ensure VPD fit
- VPDs will have 8ft linear space of this fixture to utilize
- Vendor provided backer panels should be neutral color and texture, need to be approved by Best Buy
- Any additional fixture pieces will have to set on the base deck
- Header plate finish: Alpolic PE BLX Black
- Letters should be a 7508 white acrylic P95 (non-lit)

Overview of VPD Space



Notes:



- VPDs cannot exceed fixture dimensions, height, width or depth
- TV(s) and soundbar(s) should be displayed in this area - mounts are provided by vendor
- All merchandising/display fixtures and placement selected by vendor must meet ADA requirements
- All electronics must be reviewed by the C7 lab
- Any buttons or touch interactives must follow ADA guidelines
- Headers are allowed in this area, but must follow Best Buy fixture requirements
- No vertical signage allowed
- No additional lighting in the space (i.e. back lit TVs)
- Any additional fixture pieces will have to set on the base deck
- No basedeck covers are allowed
- All product displays must have pricing, reference the ESL guideline document

HEET Wall with Upper Shelf TV VPD Guidelines

Technical Specs

VENDOR TV WALL - HEET WALL WITH UPEER SHELVES

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	00-00-00	




SECTION A-A
SCALE 1 : 24

Notes:


- EPDM# 0005274 (Starter) 0005275 (Addon)
- BBY can provide fixture drawings to ensure VPD fit
- VPDs will have 8ft linear space of this fixture to utilize
- Vendor provided backer panels should be neutral color and texture, need to be approved by Best Buy
- Any additional fixture pieces will have to set on the base deck
- Header plate finish: Alpolic PE BLX Black
- Letters should be a 7508 white acrylic P95 (non-lit)

Overview of VPD Space



Notes:

- VPDs cannot exceed fixture dimensions, height, width or depth
- TV(s) and soundbar(s) should be displayed in this area - mounts are provided by vendor
- All merchandising/display fixtures and placement selected by vendor must meet ADA requirements
- All electronics must be reviewed by the C7 lab
- Any buttons or touch interactives must follow ADA guidelines
- Headers are allowed in this area, but must follow Best Buy fixture requirements
- No vertical signage allowed
- No additional lighting in the space (i.e. back lit TVs)
- Any additional fixture pieces will have to set on the base deck
- No basedeck covers are allowed
- All product displays must have pricing, reference the ESL guideline document



REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	A	INITIAL RELEASE	00-00-00	

35K Perimeter TV VPD Guidelines

Technical Specs

Notes:

- EPDM# R0015-B
- BBY can provide fixture drawings to ensure VPD fit
- VPDs will have 8ft linear space of this fixture to utilize
- Vendor provided backer panels should be neutral color and texture, need to be approved by Best Buy
- Any additional fixture pieces will have to set on the base deck

BEST BUY Best Buy Co., Inc 7601 Penn Avenue South Richfield, MN 55423		TITLE: ---		
		MATERIAL: ---		
		FINISH: ---		
OPERATION		PLACES IN DIMENSION		
		0.0	0.00	0.000
MACHINING METAL		±0.030	±0.010	±0.005
LASER / TURRET		±0.060	±0.030	±0.015
SHEET METAL FORMING		±0.100	±0.040	±0.020
WELDING METAL		±0.125	±0.060	±0.030
MACHINING PLASTIC		±0.100	±0.030	±0.010
FORMING PLASTIC		±0.125	±0.060	±0.020
WOOD		±0.125	±0.040	±0.020
EXTRUSION		±0.040	±0.020	±0.010
		DRAWN BY:	DATE:	SCALE: 1:48
		DRAWING NO.:		REV.:
		THIRD ANGLE PROJECTION IN [mm]		
COPYRIGHT © 3/29/2023 BEST BUY INC. ALL RIGHTS RESERVED. INFORMATION CONTAINED IN THIS DOCUMENT IS THE SOLE PROPERTY OF BEST BUY ENTERPRISE SERVICES, INC. AND ANY REPRODUCTION IN PART OR WHOLE WITHOUT WRITTEN AUTHORIZATION FROM BEST BUY ENTERPRISE SERVICES, INC. IS STRICTLY PROHIBITED. ITS USE IS AUTHORIZED ONLY FOR QUOTING AND FABRICATION FOR BEST BUY INC..				

VPD Fixture Details




Attachment Area

- Header hangs on two merchandising bars that will clip into the fixture uprights

Notes:

- 24" vendor header is the standard application
- 12" vendor header can be leveraged on Wing Walls to accommodate two large TVs along with header within the display
- Physical headers are allowed but must match existing Best Buy headers
- Reference EPDM# 1021616 for overall construction and finish specifications
- Header plate finish: Alpolic PE BLX Black
- Letters should be a white light, white optics 009 matte finish
- Headers hang on merchandising bars that are attached to uprights


Overview of VPD Space



Notes:

- VPDs cannot exceed fixture dimensions, height, width or depth
- TV(s) and soundbar(s) should be displayed in this area - mounts are provided by vendor
- All merchandising/display fixtures and placement selected by vendor must meet ADA requirements
- All electronics must be reviewed by the C7 lab
- Any buttons or touch interactives must follow ADA guidelines
- Headers are allowed in this area, but must follow Best Buy fixture requirements
- No vertical signage allowed
- No additional lighting in the space (i.e. back lit TVs)
- Any additional fixture pieces will have to set on the base deck
- No basedeck covers are allowed
- All product displays must have pricing, reference the ESL guideline document

Technical Specs



Notes:

- EPDM# 1006813
- BBY can provide fixture drawings to ensure VPD fit
- VPDs will have 8ft linear space of this fixture to utilize
- Vendor provided backer panels should be neutral color and texture, need to be approved by Best Buy
- Any additional fixture pieces will have to set on the base deck
- Header plate finish: Alpolic PE BLX Black
- Letters should be a 7508 white acrylic P95 (non-lit)

filename: Guideline - TV Wall - Wing Wall Inline.sldrw

33. Mobile Accessories

Overview



The Mobile Accessories department was reimagined to clarify customer navigation, reorganize product merchandising and allow amplified vendor moments.

Best Buy-Managed Programs

- Secondary Inline Header
- Peg Wayfinding
- Vertical Inline Focal Fixture

Vendor-Managed Programs

- Mobile Accessories VPP
- Vertical Inline Focal Graphic (initially printed by Best Buy)




VPP Dimensions

Vendor Expectations

- Each Mobile Accessories VPP program must follow dimensional and material guidelines.
 - **Size:** 47.938"W x 13.5"H x 10.5"D
 - **Substrate:** Black ABS
- A white vendor logo should appear centered on the black header, with a total max height of 2". Refer to template for more details.
- Products can protrude no more than 1" from the backer.
- ESL holders (#1005394) should be incorporated to ensure consistent placement.
- Merchandising guidelines detailed in the following pages.

Note: Drawings, dimensions and models available upon request.



Best Buy-Managed Graphics

Two Best Buy-managed wayfinding vehicles will be leveraged for this department:

Secondary Inline Headers

- Headers are to be used sparing on the tops of Lowbay Gondolas to distinguish category or subcategory.
- Each Secondary Inline Header is attached to the top of Lowbay Gondolas with two 3" Large Magnetic Heavy Duty Clips.
- At least 4' of negative space (one gondola length) should appear between each Secondary Inline Header activation.

Peg Wayfinding

- This system helps a customer navigate between options within each category or subcategory.
- Peg Wayfinding leverages a printed sign inserted into a Peg Hook 5"x10" acrylic system.
- Peg Wayfinding should be placed in the first left peg position of Lowbay Gondolas when deployed.
- No more than four Peg Wayfinding signs should be used per 4 linear feet of gondola.

iPhone Protection

Name: Secondary Inline Headers
Size: 48" w x 5" h
Substrate: 2-sided header: .1875 Ultraboard, White
Print Quantity: 6
Accessories: Holder 3" large magnetic X-tall heavy duty clip (15-05-12188)
Accessory Quantity: 2 clips per Inline Header, 12 in total

iPhone Accessories
Android Accessories
Chargers & Power
Travel & Bluetooth
Unlocked Phones
Prepaid & SIM Cards

iPhone 15 Pro Max

Name: Peg Wayfinding
Size: 5" w x 10" H
Substrate: 12pt C1S, White
Print Quantity: 19
Accessory: 5x10 Peg Hook Acrylic Holder
Accessory Quantity: 1 per wayfinding sign, 19 in total

Phone 15
iPhone 15 Pro
iPhone 15 Pro Max
iPhone 15 Plus
iPhone 14
iPhone 14 Pro
iPhone 14 Pro Max
iPhone 14 Plus
iPhone 13 & Earlier
S24/S24+/S24+ Ultra
S23/S23+/S23 Ultra
S22 & Earlier

Galaxy Z Series
Motorola
Google
Samsung A series
Upgrade Message (x3)


Vendor-Managed Graphics

Vendor Expectations


- Vendor art will be attached to Best Buy-managed Vertical Inline Focal Fixtures (1024391) which attach to gondolas with two Best Buy-managed standard 48” merch bars (1010753 Black or 503000490000 Silver).
- Vendor graphics will only activate half of each focal:
 - **Size:** 8”W x 26.375”H
 - **Substrate:** 20mil Magnetic Vinyl, White
- Graphic must contain vendor logo and product image.
- Vendors can include a one-sentence brand statement; 3-lines max, 20-character max/line. Copy must appear in the top third of the graphic to ensure readability.

Best Practices

- Stay image-driven. Keep any copy brief.
- Leverage brand colors to help differentiate.

 **You will need** details and dimensions in this guide on Partner Portal:

[Copy & Claims Guidelines](#)



Name: Vertical Inline Focal Graphics

Size: 8" w x 52.8" h

Substrate: .030 Magnetic Vinyl, White

Print Quantity: 12



Accessory: Vertical Inline Focal 1024391

Accessory Quantity: 1 per Focal activation, 6 Focals in total within department



Note: Initial deployment of Inline Focal Graphics will be designed by vendors but printed/kitted/shipped by Best Buy.

Vendor-Managed Graphics



Note: The dimensions provided are for reference only and may vary depending on the J track.



You will need details and dimensions in this guide on Partner Portal:

[Copy & Claims Guidelines](#)


Vendor-Managed Merchandising

Vendor Expectations


- Incorporate Demo, Display or Dead-Mock Display products into each VPP. Printed representational stand-ins of products are not allowed.
- Support all display products with a proximally located peg label-sized Electronic Shelf Label (ESL).
- Design your display components with modularity in mind to ensure easy replacement when products/signage change.
- Demo, Display and Dead-Mock Display products should be the hero of the presentation. No more than 75% of the actionable surface area should be filled with printed imagery.

Best Practices

- Stay image-driven. Keep any copy brief.
- Leverage brand colors to help differentiate.

 **You will need** details and dimensions in this guide on Partner Portal:

[ESL Pricing](#)



Next Steps

1 READ

the following from Partner Portal for details and dimensions **you will need:**

[Copy & Claims Guidelines](#)

[ESL Pricing](#)

Additional useful guides:

[Vendor Signage](#)

2 REQUEST

from your Best Buy contact:

- Drawings and models of parts you want to order. Provide the part numbers and specify Solidworks or STEP file type.
- A list of preferred vendors who can manufacture the fixture parts.
- Examples of Best Buy-provided graphics, if desired.

Fixture Component	Best Buy Part #
Mobile Accessories VPP	1024456
Vendor Inline Focal	1024391
Holder Peg Hook 5" x 10"	130511148
3" Large Magnetic X-Tall Clips	150512188
48" Merch Bar (Black)	1010753
48" Merch Bar (Silver)	5030000490000
ESL Holder	1005394

34. Universal Buttons

Universal Buttons




Button

- Text to be located below the buttons
- Text to be printed onto the material, do not use stickers
- This is the case for both the buttons on the focals as well as on the 2" platforms



Universal Buttons

Button Specification:
Duco is the vendor
#DTPB-X-32



Additional C7 guidelines exist for button illumination, user interface and interaction.

Please see entire C7 Lab guidelines in the Technology Design Standards folder of Partner Portal.

35. Major Appliance POP Graphics

Refrigerators

The following POP solutions will be temporarily permitted until Best Buy finalizes templated POP standards in 2024.

Vendor Expectations

- Display overlay clings, if desired, on any screens and/or buttons to simulate a “powered” experience.
- Include up to one external POP graphic on the product front to highlight product features and differentiators.
- Include POP graphics as desired on the product interior, ensuring graphics are not visible until the product is opened.

 **You will need** details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)

External POP Graphic

Size: 8.5”W x 11”H or smaller
Placement: Upper right side of appliance front

Overlay Cling

Note: Clings may cover but not overhang screens or buttons.




Washers, Dryers & Ovens


The following POP solutions will be temporarily permitted until Best Buy finalizes templated POP standards in 2024.

Vendor Expectations

- Display overlay clings, if desired, on any screens and/or buttons to simulate a “powered” experience.
- Include up to one external POP graphic on the product top and up to one external POP graphic on the product front to highlight product features and differentiators.
- Include POP graphics as desired on the product interior, ensuring graphics are not visible until the product is opened.

 **You will need** details and dimensions in these guides on Partner Portal:

[Copy & Claims Guidelines](#)




Overlay Cling

Note: Clings may cover but not overhang screens or buttons.

External POP Graphic

Size: 8.5”W x 11”H or smaller
Placement: Lower right side of appliance top and/or upper right side of appliance front



36. Small Appliance POP Graphics

Overview

POP graphics give you the opportunity to educate customers on a product's features and differentiators.

Vendor Expectations

- Include up to two external POP graphics on a single product VPP.
- Place POP graphics on sleds/platforms or product sides to prioritize visibility of the display's size, materiality and finishes.

Note: No stand-alone printed or mock food is permitted (i.e. filled coffee cups, sandwiches, etc.).

External POP Graphic

Note: A single product VPP can contain no more than two external POP graphics.



External POP Graphic

Note: No stand-alone printed or mock food is permitted. Food imagery **is permitted** as part of POP graphics, details or sled.



Graphics

Vendor Expectations

- Include up to two external POP graphics on a single product VPP.
- Follow Best Buy's Copy & Claims Guidelines (see below).
- Ensure product remains the hero of the presentation and POP graphics cover no more than 15% of the entire display.
- Display overlay clings, if desired, on any screens and/or buttons to simulate a "powered" experience.
- Include POP graphics as desired on the product interior, ensuring graphics are not visible until the product is opened.



You will need details found in this guide on Partner Portal:

[Copy & Claims Guidelines](#)

Overlay Cling

Note: Clings may cover but not overhang screens or buttons.



External POP Graphic

Note: Ensure that POP graphics cover no more than 15% of the display.

37. Vendor Signage

The purpose of these vendor guidelines is to create a seamless in-store journey for Best Buy customers no matter where they are in the purchase decision process. We want their experience to feel curated and thoughtful. Vendor materials should help pique their interest, make them curious and encourage exploration. It should not bombard them with too much information.





Future Store 2020

Best Buy Lifestyle Photography Guidelines

Lifestyle photos should be simple and elegant. Never use photography that appears to be highly stylized or posed. We encourage you to explore natural lighting and airy feels. Try to limit intense coloration and the number of people in each shot.

Best Buy Product Photography Guidelines

Shots should include cropped macro imagery of tech and products. We want dramatic composition with strong angles and contours. Feature products on clean white backgrounds and allow room for negative space. Try to focus on interesting textures and product details, and limit color to be an accent.



Photography Dont's

Images shown on this page show what NOT to do with lifestyle or product photography.

Don't use cliched, overused situations.



Don't use contrived, overly staged images.



Don't use images with overly theatrical or dramatic expressions.



Don't use color-filtered images.



Don't use images that are overly smiley or unnaturally perfect situations.



Don't use overly conceptual images.



Don't blur or exaggerate areas of the image.



Don't modify lighting or add filters and effects.



Don't pose or stage unnatural environments.



Don't include images that are excessively dark or excessively bright.



Don't include images with brightly colored backgrounds and/or props.





Don't include overly posed or busy environments.



Vendor asset requirements

Vendor-supplied files:

- InDesign CC 2020 [Do not send final files built as a PDF, Illustrator (.AI or EPS) or Photoshop (.PSD, .EPS, or .TIF)]. Photoshop and Illustrator formats are accepted for Links only. **Zip files not uploaded as properly packaged InDesign Files (example A) will automatically be rejected.**
- A separate file should be built for each sign with the trim size indicated with a minimum **1/4-inch .25"** bleed required beyond the trim (example B).
- All files should be built using the most current Best Buy Brand templates. **Templates must be requested on an on-going basis to ensure the most up-to-date template is being utilized.**
- Build the file in Process colors unless PMS colors are used.
- Identify any PMS, special mix or spot colors. Keep your color names consistent throughout the project.
- Delete all unused colors.
- Label white ink with a SPOT 100% cyan color.
- Part Number and Disclaimer Format (Human BBY Condensed font):
 - Small Formats (below 12" x 12"): 8 pt Condensed type, Tracking value 50, Leading 100% (8 pt); optical kerning.
 - Medium Formats (above 12" x 12"): 12 pt Condensed type, Tracking value 50, Leading 100% (12 pt); optical kerning.
 - Special Formats (Sidewalk, above 48" x 48"): 18 pt Condensed type, Tracking value 50, Leading 100% (18 pt); optical kerning.
- Slug Format:
 - 10 pt Condensed type (except for Bold Category titles i.e., Size, Stock, Colors, etc.), Tracking value 50.
- Part Number and Valid Dates location: 0.25" from right and bottom edges.
- Copyright location: 0.25" from left and bottom edges. (Can be stacked with part number and valid dates if needed.)
- Use second page of InDesign file to show back side mounting (magnets, REMO tape, etc.) locations.
- Package Zip File includes: InDesign file, .IDML file, PDF and respective folders containing all Links and Fonts (example A).



In-store signage vendor-supplied images:

- Acceptable Formats: .PSD, .EPS, .TIF.
- Color Space: CMYK or RGB color.
- Minimum: all hi-res images 7200 pixels on the longest side. Ideal: 9000 pixels on the longest side (Future Store).
- Include all hi-res images 300dpi or higher.
- Include clipping path around product.

Logo requirements:

- Adobe Illustrator vector files (.ai or .eps)
- Fonts need to be outlined and/or packaged before sending files
- Include all versions of the logo:
 - 4-Color (CMYK) or RGB
 - Black (K)
 - Reversed out (all white)
 - Horizontal and vertical



File extensions & Terminology:

.PSD – Photoshop File

.AI – Illustrator File

.INDD – InDesign File

.INDT – InDesign Template File

.IDML – InDesign File that allows users of different versions of InDesign to open up the file

.PDF – A file format that provides an electronic image of text or text and graphics that look like a printed document and can be viewed, printed and electronically transmitted.

.JPEG – JPEGs might be the most common file type you run across on the web or for projects that require printing at a high resolution.

.TIFF – A TIFF is a large raster file that doesn't lose quality. TIFF files are also commonly used when saving photographs for print. Not recommended for Web.

.PNG – PNGs are amazing for interactive documents such as web pages, but are not suitable for print.

.EPS – EPS is a file in vector format that has been designed to produce high-resolution graphics for print.

.PSD – PSDs are files that are created and saved in Adobe Photoshop. This type of file contains "layers" that make modifying the image much easier to handle.

Packaged File – A packaged file ensures that all fonts and linked graphics are included with the InDesign file.

Link – A file that is linked to, but not embedded, resulting in a smaller document. If a link is modified, it will automatically update in the working file.

Slug – Information outside of the printing and bleed area that contains all necessary information for the printer/producer like size, colors, stock, finishing instructions, etc.

Lorem Ipsum – Also known as 'dummy copy' or 'filler copy,' lorem ipsum is a generic filler text used when the real text is not available.

Raster Image – Raster images are constructed by a series of pixels, or individual blocks, to form an image. File Types: JPEG, GIF and PNG.

Vector Image – Vector images are far more flexible and perfect for creating graphics that require frequent resizing. File Types: EPS, AI and PDF.

Resolution – The amount of detail an image has. The higher your resolution, the better your images appear, and the more detail is rendered. Lower resolution images or graphics tend to appear blurry, pixelated or muddy. Ideal print resolution is 250–300dpi.

Bleed – Printing that goes beyond the edge of where the sheet will be trimmed. The bleed gives the printer a small amount of space to account for movement of the paper. Its sole purpose is to make sure the design or image reaches the very edge without leaving any unsightly white edges.

Live Area/Safety Area – The live area is the area in which your printer deems a safe zone for important text or images. This is an area of your printed piece that they can deem safe from cropping.


Page Size/Trim Size – The final size of a printed page after excess edges have been cut off the trim size.

Flat Size: The dimensions of a document after it has been printed and received any necessary trimming, but before any additional finishing, such as folding.

How to package an InDesign file:

1. Open your INDD file in InDesign.
2. Resolve any errors concerning missing links or fonts.
3. Go to File > Package.
4. Click the Package button at the bottom of the Summary window. Verify there are no missing links or fonts.
5. Click Continue on the "Printing Instructions" window.
6. Browse to where you'd like to create the package folder and enter the name of the folder.
7. Make sure the "Copy Fonts," "Copy Linked Graphics," "Update Graphic Links in Package," "Include IDML" and "Include PDF (Print)" are all checked. Other boxes should be unchecked.
8. Click the Package button.
9. Find the new folder InDesign created and verify that it contains copies of all required files.
10. Right-click the folder and choose "Compress" (Mac) or "Send to ZIP" (Windows: might be something different but similar depending on what software you have installed). This will zip it up.
11. **Box uploads:** Upload uncompressed folders to <https://bestbuy.ent.box.com>. If you do not have access to Box, work with your Internal Best Buy contact to access your BoxBBYTransfer vendor folder. Once uploaded to your vendor folder, send via email your business partner a screenshot of the Box path and the file name.

Zip files not uploaded as properly packaged InDesign Files (see #9) will automatically be rejected.







Future Store 2020

Packaging an InDesign file





38. Vendor Copy & Claims Guidelines

Vendor Copy & Claims Guidelines

The following are NOT permitted:

-  **Superlative claims.** Statements like “fastest,” “best” and “#1” have legal implications in store, become outdated quickly and add unnecessary noise.
-  **“New” callouts.** Indicating that something is new can be deceptive to the customer and legally inaccurate when left on display beyond a standard period of time.
-  **“Coming soon” notices.** These are limited in store because they require immediate updates following a product launch. They are reserved exclusively for time-sensitive categories.
-  **Award mentions.** Award iconography and copy callouts create visual noise and lose their intended positive impact once they become outdated.

Instead:

-  Wow the customer by calling out the product attributes that will excite them. Make your statements strong but generic to avoid a claim feeling dated too quickly.
-  Describe the most unique qualities of your product to help it stand out among the competition rather than relying on the newness of those qualities to set you apart.
-  In lieu of trying to promote a product that customers can't yet buy, focus on providing them with the best presentation possible for the product already available to them.
-  Let the hero characteristics of the product shine. Don't focus on the awards it has won. Instead, speak to the impressive features that prompted those awards.

Quick tips for a better presentation.

- Use clear and concise language
- Avoid technical terms and industry jargon
- Write in brief bullets instead of long paragraphs
- Feature the benefits that matter most to customers

39. Shipper

Shipper anatomy / Technical specs

Overall height

- 60" maximum height

Footprint

- 24" wide x 24" deep (or 24" x 48" if approved during bid process)
- Must be freestanding and self supporting

Materials

- Shipper materials must be selected based on the overall strength required to properly and safely hold product without failure
- Overall weight of shipper must not be in excess of allowing movement with a minimum 5lbs of push force to adhere to American Building Standard Code and local municipal fire code

How to style universal price point in header panel

- Pricing may be included in the header for shippers that house one SKU at one price point. Style the price as shown in the example below:



Merchandised side


- Can be flooded with a single image or flat color
- All logos/branding marks and copy must be on front panel header
- Promotional offers (with accompanying legal) must be on front panel header
- Pricing may be included if shipper houses one SKU at one price point

Non-merchandised side

- Can be flooded with a single image or flat color
- Primary logo/branding/copy is allowed on sides but must be 36" from floor

Merchandising /pricing

- Product and pricing must be at least 7" off of the ground.
- Use shelves, peg hooks or a combination of both.
*If shelves are used, an adhered acrylic shelf strip can be used to extend the length of the shelf and must be at least 1.6" in height to accommodate ESL peg labels. (Example shown here)
- Only 2 sides can be merchandised with product. If 2 sides are merchandised, they must be opposite of each other.
- Shipper must accommodate space for Best Buy security based on category-specific Product Protection Standards.
- Every individual product requires space for standard Best Buy ESL pricing:
 - ESL Peg Label: 3.6w x 1.6h
 - ESL Fact Tag: 6.0w x 4.9h



To request font, please e-mail DigitalAssetSpecialist@BestBuy.com

Best practices

Design

- Shipper should be shipped fully assembled and preloaded.
- Do not use box art on shipper since it is already in display.
- “Star Power” images (musicians, celebrities, movie scenes, gaming characters, etc.) are encouraged. Be sure to reference Subject Matter Guidelines when selecting images.
- Sharp corners, silhouettes and protruding shapes are not allowed to protrude outside of the shipper footprint.
- Curved and overly complicated form factors are not recommended, can result in damage through shipping and would be removed immediately from the sales floor.
- Shipper, pegs and/or shelves need to support the weight of the merchandised product.

Copy

- Headline should clearly and concisely communicate product’s main benefit
- Limit copy and bullet points so they can be quickly understood by consumers
- No copy allowed under 36" from floor

Subject matter guidelines

M-rated games policy

- ESRB rating must be clearly visible
- Titles not yet rated, but anticipating a Mature rating fall under these guidelines
- Adult Only rated titles are NEVER acceptable and are not allowed

Unacceptable imagery

Below is a list of unacceptable imagery. It is not exhaustive. Best Buy can review questionable imagery on a case-by-case basis.

No guns / weapons pointed directly at viewer

- No knives, swords or daggers shown in use or after use (e.g. dripping with blood)
- No other real or “fantasy” weapons if they appear menacing
- No children carrying guns/weapons

No implied gratuitous violence, blood or gore

- No dead bodies or implied death
- No implied actions of violence such as the shadows of bodies being hung, actions of immediate danger or harm to self or others, etc.

No extremely evil, scary or gruesome visuals

- No particular evil or scary-looking animals, humans or creatures (e.g. zombies, ghouls, etc.)

No portrayals of cruelty to animals

No exploitative, sexually suggestive or sexually provocative imagery

No racially or culturally stereotypical imagery

Note: Imagery should be family friendly and acceptable to all audiences.

Art approval process timeline

Strategy

17 - 15 WEEKS from Merch Kit Date

- 17 weeks from Merch Kit Date, Merchants request a location by submitting bids
- 16 - 15 weeks from Merch Kit Date, Committee reviews and approves request for locations

Art submission

9 WEEKS from Merch Kit Date

- Vendor Partner submits PDF/JPEG of shipper design (including dimensions) for Best Buy® approval to Business Partner (Merchant, Merchant Analyst or Merchandising Project Manager)
- Best Buy approves, or approves with edits, based on criteria
- If art is not approved, it will need to be resubmitted with changes by Vendor Partner
- Shippers are reviewed each Tuesday, with feedback given by end of day Thursday

NOTE: A minimum of 2 weeks is required for shipper art review. Submit by noon Wednesday for weekly Thursday review. Feedback is provided by Friday.

Feedback / revision

8 WEEKS from Merch Kit Date

- Final location and shipper design approvals communicated to Merchants and Vendor Partners.
- Shipper production begins (*preferred vendor recommended*).
- Final shipper review (if changes were needed). Feedback provided EOD Friday.

Distribution

7 WEEKS from Merch Kit Date

- Printing, kitting and shipping of shippers
- Perm shippers (shippers living longer than three weeks) VPP Supplier Handoff due to Project Manager

Final Document Submission

5 WEEKS from Merch Kit Date

- 5 weeks from Merch Kit Date, all final renders need to be submitted to Project Manager
- Final completed VPP Handoff Form due by Wednesday at Noon CST to the Project Manager for perm shippers (shippers living longer than three weeks)

*Failure to make this timeline could result in the project being pushed to a later date, which may require funding toward the unplanned labor.

Design approvals

Once a display is approved from a design perspective, shipping labels and part numbers will be assigned.

Process

- Store Experience Project Manager (SEPM) informs vendor partner that they have been awarded shipper placement and attaches the Shipper Design Guidelines.
- SEPM submits WRF with PDF/JPEG art.
- SEPM routes art to be reviewed during Weekly Vendor Art Review meeting.
- Vendor revises art (if needed) and sends final PDF/JPEG to SEPM. SEPM submits revised art for review during Weekly Vendor Art Review meeting.
- SEPM sends final approval with shipping label to vendor partner.

NOTE: Timeline represents standard drive times. Does not apply to Holiday.

Product protection standards (PPS)

What is it?

Product Protection Standards (PPS) are practices intended to help stores understand product security measures by category and price point. These standards are developed based on customer needs, shrink risk, sales and marketing goals as well as agreements with vendors.

The PPS include two different approaches to product protection:

One approach defines **required** protection methods and the second approach recommends **optional** protection methods. Stores are responsible for considering the customer experience and business needs when applying these approaches to product security.

NOTE: Product Protection Standards requiring product lock-up or security devices must be adhered to in all areas of the store including Store Pickup and Warehouse.

Required security devices

Because security devices and price thresholds are subject to change, please work directly with your Merchandising Project Manager (SEPM) on which devices and price thresholds apply to your specific product.

Shipper design

To ensure products that require security devices fit more than one SKU on the shipper, create dimensions that can fit the largest security case measurements.

Partner with your Visual Merchandiser and Store Experience Project Manager (SEPM) to determine the security part(s) that work best with the shipper product when preparing for prototype review and approvals.

Shipping to retail locations

Distribution (7 TO 0 WEEKS FROM MERCH KIT DATE)

The Distribution phase ensures that all shippers are packaged to arrive at the right stores at the right time with the right merchandised product.

This phase provides the foundation for Retail to execute the Racetrack plan for their store.

Pre-shipping checklist for vendors / suppliers

- Best Buy®-approved shipping label** attached to exterior of shipping carton
- Displays shrink wrapped** on 40"x 48" pallets (for shipping purposes only)
- Single SKU vs. Multi-SKU** distribution requirements followed
- Direct to Store (DTS) vs. Distribution Center (DC)** requirements followed
- Multi-SKU displays shipped DTS
- If display is without product**, ensure that a SKU is set up in the system containing accurate weight and dimensions
- SKU master pack and SKU inner pack have not been modified**
- NOTE:** Allocations of shippers from the Distribution Center are created manually and sent directly to Distribution Operations Support
- NOTE:** Allocations for loose product created following the normal process
- NOTE:** The Domain team is responsible for communicating all pallet and shipper arrival dates to Retail
- Display should not arrive in stores more than 3 days prior to approved Merch Kit Date**

Final checklist / summary

Submit PDF/JPEG images of display to SEPM. Attach art in WRF.

Mandatory requirements for all art submissions include:

- Rendered views of each side of shipper (with actual merchandised product represented)
- Flat views of all shipper panels (with expanded detail views of any small print and disclaimer detail)
- Complete dimensions and printing specifications for all panels

No retail brands besides Best Buy can be on the shipper

No websites besides those owned by BestBuy.com® can be on the shipper

No QR codes or links can send customers to any other retail brand besides Best Buy can be on the shipper

LEGAL

Overt claims must be legally indemnified (i.e., “The best selling artist of all time.”)

No superlative claims about prices (i.e., “The best price ever.”)

Disclaimers (if any) should be indicated with superscripted annotations

Temporary offers must state the start and end dates of the offer

“New” language is not allowed

VMM Shipper Image Requirements:

- JPEG format. File name needs to be the assigned part number.
- Front-facing 2D images required for all sides of a shipper.
- Images cropped with backgrounds removed.
- Obstructions/SKUs removed.

Accepted:




Not accepted:



40. QR Codes

Standard guidelines

The only QR codes permitted on vendor presentations are those located on product ESLs. These direct to product details, inventory and fulfillment options.



Exceptions may be possible with pre-approval from Best Buy's Store Experience team.

An exception would permit one printed QR code per every four linear feet of vendor presentation. This code must link to specialized content (i.e. videos, product specs, bundle opportunities, etc.) on BestBuy.com or a closed microsite created only for Best Buy.

Printed QR codes must be:

- Shown in 100% black and white; no colors or shades permitted
- Comprised of only rectilinear/square forms; no words, shapes or art permitted
- Placed on a white square 20% larger than the code if background is not already white
- Accompanied by a call to action that is legible (8pt or larger) and tells the customer what they'll experience by scanning (see examples at right)

Examples:



Thank you.